

## DAFTAR PUSTAKA

- Afoulous, S., Ferhout, H., Raoelison, E. G., Valentin, A., Moukarzel, B., Couderc, F., & Bouajila, J. (2011). Helichrysum gymnocephalum essential oil: Chemical composition and cytotoxic, antimarial and antioxidant activities, attribution of the activity origin by correlations. *Molecules*, 16(10), 8273–8291.
- Afoulous, S., Ferhout, H., Raoelison, E. G., Valentin, A., Moukarzel, B., Couderc, F., & Bouajila, J. (2013). Chemical composition and anticancer, antiinflammatory, antioxidant and antimarial activities of leaves essential oil of Cedrelopsis grevei. *Food and Chemical Toxicology*, 56, 352–362.
- Annisa, H. S., Huda, N., Erwin. (2015). Efektifitas Aroma Terapi Essensial Oil Rose dalam Menurunkan Skala Nyeri pada Pasien Kanker Stadium II. *JOM*, 2 (1), pp. 682 – 690.
- Arifka. (2017). Konsep Tawakal Dalam Perspektif M. Quraish Shihab (Kajian Tafsir Tarbawi). Prodi Pendidikan Agama Islam. Fakultas Tarbiyah dan Keguruan. Universitas Islam Negeri Ar-Raniry Darussalam Banda Aceh.
- Bakarnga-Via, I., Hzounda, J. B., Fokou, P. V. T., Tchokouaha, L. R. Y., Gary-Bobo, M., Gallud, A., Garcia, M., Walbadet, L., Secka, Y., Dongmo, P. M. J., Boyom, F. F., & Menut, C. (2014). Composition and cytotoxic activity of essential oils from Xylopia aethiopica (Dunal) A. Rich, Xylopia parviflora (A. Rich) Benth.) and Monodora myristica (Gaertn) growing in Chad and Cameroon. *BMC Complementary and Alternative Medicine*, 14, 1–8.
- Bendaoud, H., Romdhane, M., Souchard, J. P., Cazaux, S., & Bouajila, J. (2010). Chemical Composition and Anticancer and Antioxidant Activities of Schinus

- Molle L. and Schinus Terebinthifolius Raddi Berries Essential Oils. *Journal of Food Science*, 75(6), 466–472.
- Basri, M., M. (2018). *Indahnya Tawakal*. Surakarta: Indiva Pustaka
- Bayala, B., Bassole, I. H., Scifo, R., Gnoula, C., Morel, L., Lobaccaro, J. M., & Simpore, J. (2014). Anticancer activity of essential oils and their chemical components - a review. *American journal of cancer research*, 4(6), pp. 591–607.
- Bhat, J. A., Kumar, M., Bussmann, R. W. (2013). Ecological status and traditional knowledge of medicinal plants in Kedarnath Wildlife Sanctuary of Garhwal Himalaya, India. *J Ethnobiol Ethnomed*, 9(1).
- Blowman, K., Magalhães, M., Lemos, M. F. L., Cabral, C., & Pires, I. M. (2018). Anticancer Properties of Essential Oils and Other Natural Products. *Evidence-Based Complementary and Alternative Medicine*, 2018, 3149362.
- Boukhatem, M. N., Sudha, T., Darwish, N. H. E., Chader, H., Belkadi, A., Rajabi, M., Houche, A., Benkebailli, F., Oudjida, F., & Mousa, S. A. (2020). A new eucalyptol-rich lavender (*Lavandula stoechas* L.) essential oil: Emerging potential for therapy against inflammation and cancer. *Molecules*, 25(16), 1–17.
- Burdall, E.S., Hanby M.A., Lansdown, R.J.M., & Speirs, V. (2003). Breast Cancer Cell Line. *Breast Cancer Res.*, 5(2): 89-95.
- Byahatti, S., Bogar, C., Bhat, K., & Dandagi, G. (2018). Evaluation of anticancer activity of Melaleuca Alternifolia. (i. e. tea tree oil) on Breast cancer cell line (MDA MB)- An in-vitro study. *IP International Journal of Medical Microbiology and Tropical Diseases*, 4(3), 176–180.

Chen, Y., Zhou, C., Ge, Z., Liu, Y., Liu, Y., Feng, W., Li, S., Chen, G., & Wei, T. (2013). Composition and potential anticancer activities of essential oils obtained from myrrh and frankincense. *Oncology Letters*, 6(4), 1140–1146.

Comşa, Ş., Cîmpean, A. M., & Raica, M. (2015). The story of MCF-7 breast cancer cell line: 40 Years of experience in research. *Anticancer Research*, 35(6), 3147–3154.

Departemen Kesehatan Republik Indonesia. 2009. *Sistem Kesehatan Nasional*. Jakarta.

Duran, G. G., Duran, N., Ay, E., Kaya, D. A., Kaya, M. G. A. (2016). SYNERGISTIC ACTIVITIES OF THE ESSENTIAL OILS HYPERICUM. International Conference on Advanced Materials and Systems ICAMS 2016 – 6<sup>th</sup>

Diakses pada : 20 November 2020  
<https://dspace.uui.ac.id/bitstream/handle/123456789/1742/05.3%20bab%203.pdf?sequence=10&isAllowed=y>

Enas, M. A. (2013). Phytochemical composition, antifungal, antiaflatoxigenic, antioxidant, and anticancer activities of Glycyrrhiza glabra L. and Matricaria chamomilla L. essential oils. *Journal of Medicinal Plants Research*, 7(29), 2197–2207.

Fitsiou, E., Anestopoulos, I., Chlichlia, K., Galanis, A., Kourkoutas, I., Panayiotidis, M. I., & Pappa, A. (2016). Antioxidant and antiproliferative properties of the essential oils of Satureja thymbra and Satureja parnassica and their major constituents. *Anticancer Research*, 36(11), 5757–5763.

Hashim, Y. Z., Phirdaous, A., & Azura, A. (2014). Screening of anticancer activity from agarwood essential oil. *Pharmacognosy Research*, 6(3), 191–194.

Hassine, M., Zardi-Berguaoui, A., Znati, M., Flamini, G., Ben Jannet, H., & Hamza, M. A. (2014). Chemical composition, antibacterial and cytotoxic activities of the essential oil from the flowers of Tunisian *Convolvulus althaeoides* L. *Natural Product Research*, 28(11), 769–775.

Jebarah, R., Hudaib, M., Bustanji, Y., Al-Abbassi, R., Alhourani, N., & Kasabri, V. (2019). Essential Oil Composition and Antiproliferative Potential of the Aerial Parts of *Majorana syriaca* (L. Rafi): An Aromatic Essential Oil Bearing Ethnomedicinal Herb from Jordan. *Journal of Essential Oil-Bearing Plants*, 22(4), 994–1012.

Kemenkes RI. 2016. Panduan Penatalaksanaan Kanker Payudara. Jakarta: Kemenkes RI

Manzo, A., Musso, L., Panseri, S., Iriti, M., Dallavalle, S., Catalano, E., Scari, G., & Giorgi, A. (2016). Screening of the chemical composition and bioactivity of *Waldheimia glabra* (Decne.) Regel essential oil. *Journal of the Science of Food and Agriculture*, 96(9), 3195–3201

Moher, D., Liberati, A., Tetzlaff, J., Altman, D.G. (2009). PRISMA Flow Diagram .The PRISMA Group. Tersedia dalam: <http://www.prismastatement.org/PRISMASTatement/FlowDiagram.aspx>

Mori, H., Kawanami, H., Kawahata, H. and Aoki, M. (2016). Wound healing potential of Lavender Oil by Acceleration of Granulation and Wound Contraction through Induction of TGF- $\beta$  in a rat model. *BMC Complement Altern Med*, 16 (144).

- Mouchira, A. C. (2017). Chemical composition and anticancer activity of Achillea fragrantissima (Forssk.) Sch. Bip. (Asteraceae) essential oil from Egypt. *Journal of Pharmacognosy and Phytotherapy*, 9(1), 1–5.
- Muflih, A. (2014). Pengobatan dalam Islam. Tesis. Ilmu Tafsir, UIN Alauddin Makassar, Makassar.
- Naeem, A., Abbas, T., Ali, T. M., Hasnain, A. (2018). Essential Oils: Brief Background and Uses. *Ann Short Reports*, 1(1): 1006
- Nikbakht, M. R., Sharifi, S., Emami, S. A., & Khodaie, L. (2014). Chemical composition and antiprolifratative activity of Artemisia persica Boiss. and Artemisia turcomanica Gand. essential oils. *Research in Pharmaceutical Sciences*, 9(2), 155–163.
- Nurhaen., Winarsii, D., Ridhay, A. (2016). Isolasi dan Identifikasi Komponen Kimia Minyak Atsiri dari Daun, Batang dan Bunga Tumbuhan Salembangu (*Melissa* sp.). *Online Journal of Natural Science* ISSN: 2338-0950, 5(2), pp. 149 – 157.
- Perangin-angin, B. dan Lubis, A. (2017). Identifikasi Kemurnian Minyak Nilam dengan Metode Pengamatan Spektrum Flouressensi. *Agrium ISSN 0852-1077*, 21 (1), pp. 20-25.
- Periasamy, V. S., Athinarayanan, J., & Alshatwi, A. A. (2016). Anticancer activity of an ultrasonic nanoemulsion formulation of Nigella sativa L. essential oil on human breast cancer cells. *Ultrasonics Sonochemistry*, 31, 449–455.
- Piaru, S. P., Mahmud, R., Abdul Majid, A. M. S., Ismail, S., & Man, C. N. (2012). Chemical composition, antioxidant and cytotoxicity activities of the essential oils of Myristica fragrans and Morinda citrifolia. *Journal of the Science of Food and Agriculture*, 92(3), 593–597.

Poonkodi, K., Jayapriya, V., Sujitha, K., Jeevitha, R., & Megha, P. U. (2017). In-vitro Anticancer Activity and Essential oil Composition of Tridax procumbens (L.). Am. J. PharmTech Res, 7(2).

Public Health England. (2017). Cell line profile MDA-MB-231. *European Collection of Authenticated Cell Cultures*, 92020424, 1–3. Tersedia dalam : <https://www.phe-culturecollections.org.uk/media/133182/mda-mb-231-cell-line-profile.pdf>

Pusdatin. (2015). Situasi Penyakit Kanker. *Buletin Jendela Data & Informasi Kesehatan*. Semester 1, pp.1–11.

Qaid M. Al-Hajj, N., MN, A., Ali Omar, K., & Wang, H. (2017). Anticancer, Antimicrobial and Antioxidant Activities of the Essential Oils of Some Aromatic Medicinal Plants (Pulicaria inuloides-Asteraceae). *Journal of Food and Nutrition Research*, 5(7), 490–495.

Simamora, H. E., Lumbantobing, R., Febriyanto, E. (2019). Koleksi Minyak Atsiri di BP2LHK Aek Nauli. *Kementerian Lingkungan Hidup dan Kehutanan Badan Penelitian, Pengembangan, dan Inovasi*. Tersedia dalam : <https://aecknauli.org/koleksi-minyak-atsiri-di-bp2lhk-aeck-nauli/#more-1957>

Sokmen, A., Abdel-Baki, A. A. S., Al-Malki, E. S., Al-Quraishy, S., & Abdel-Haleem, H. M. (2020). Constituents of essential oil of Origanum minutiflorum and its in vitro antioxidant, scolicidal and anticancer activities. *Journal of King Saud University - Science*, 32(4), 2377–2382.

Suhail, M. M., Wu, W., Cao, A., Mondalek, F. G., Fung, K. M., Shih, P. T., Fang, Y. T., Woolley, C., Young, G., & Lin, H. K. (2011). Boswellia sacra essential oil induces tumor cell-specific apoptosis and suppresses tumor aggressiveness in

cultured human breast cancer cells. *BMC Complementary and Alternative Medicine*, 11.

Tabatabaei, S. M., Kianinodeh, F., Nasiri, M., Tightiz, N., Asadipour, M., & Gohari, M. (2018). In Vitro Inhibition of MCF-7 Human Breast Cancer Cells by Essential Oils of Rosmarinus officinalis, Thymus vulgaris L., and Lavender x intermedia. *Arch. Breast Cancer*, 5(2), 81–89.

Tamil, S. M., Thirugnanasampandan, R., & Sundarammal, S. (2015). Antioxidant and cytotoxic activities of essential oil of Ocimum canum Sims. from India. *Journal of Saudi Chemical Society*, 19(1), 97–100.

Udin, Z. (2013). Sitotoksitas *Xanthorrhizol* dari minyak atsiri rimpang *Curcuma xanthorrhiza*Roxb. terhadap sel kanker payudara YBM-1. *JKTI*, 15(1), pp. 23-29.

Van Meerloo, J., Kaspers, G. J. L., & Cloos, J. (2011). Cell sensitivity assays: The MTT assay. *Methods in Molecular Biology*, 731, 237–245.

Van Tonder, A., Joubert, A. M., & Cromarty, A. D. (2015). Limitations of 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyl-2H-tetrazolium bromide (MTT) assay when compared to three commonly used cell enumeration assays. *BMC Res Notes*, 8 (47).

Verma, A. K., Kumar, M., Bussmann, R. W. (2007). Medicinal plants in an urban environment: the medicinal flora of Banares Hindu University, Varanasi, Uttar Pradesh. *J Ethnobiol Ethnomed*, 3(35).

Wang, Y. N., Wu, J. L., Dan-Wei, M., Jiao, L., & Zhang, D. Y. (2015). Anticancer effects of chenopodium ambrosioides L. Essential oil on human breast cancer

MCF-7 cells in vitro. *Tropical Journal of Pharmaceutical Research*, 14(10), 1813–1820.

WHO. (2017). NCD Mortality and Morbidity. *Global Health Observatory (GHO)*. Available at:  
<https://www.who.int/data/gho/data/themes/topics/topicdetails/GHO/ncd-mortality>

Wongkatiya, N., Akekawatchai, C., Sanguansermsri, P., Fraser, L. H., Pratoomsoot, C., & Sanguansermsri, D. (2018). Chemical Compositions And Biological Properties Of Essential Oils From *Zanthoxylum Rhetsa* (Roxb.) DC And *Zanthoxylum Limonella* Alston. Pg. *African Journal of Traditional, Complementary and Alternative Medicines*, 15(2), 12–18.

Wulandari, M. J., Riska, L., Prunama, A. L., Jamaludin, M. A., Fauzi, I., Nurmilawati. M. (2015). Jenis-Jenis Komponen Minyak Atsiri yang Diisolasi dari Daun *Citrus aurantifolia* dan *Citrus nobilis*. *Seminar Nasional XII Pendidikan Biologi FKIP UNS*, SP-014-6

Xing, X., Ma, J. H., Fu, Y., Zhao, H., Ye, X. X., Han, Z., Jia, F. J., & Li, X. (2019). Essential oil extracted from *Erythrina corallodendron* L. leaves inhibits the proliferation, migration, and invasion of breast cancer cells. *Medicine* (United States), 98(36).

Zainurin, N. A. A., Hashim, Y. Z. H. Y., Azmin, N. F. M., & Abbas, P. (2018). Agarwood Leaf essential oil characterization and effects on MCF-7 breast cancer cells. *International Journal on Advanced Science, Engineering and Information Technology*, 8(4–2), 1604–1609.