

DAFTAR PUSTAKA

- Aboet, A. (2007) *Radang Telinga Tengah Menahun*. Medan: Universitas Sumatera Utara.
- Al-Maidin, N.A. (2017) *Karakteristik Pasien Otitis Media Supuratif Kronik di Rumah Sakit Umum Pusat DR.Wahidin Sudirohusodo Periode Juli 2016-Juni 2017*. Skripsi Universitas Hasanuddin Makassar.
- Alhazmi, A. (2015) 'Pseudomonas aeruginosa – Pathogenesis and Pathogenic Mechanisms', *International Journal of Biology*, 7(2), pp. 44–67. Available at: <https://doi.org/10.5539/ijb.v7n2p44>.
- Aria, M. *et al.* (2015) '(Solenostemonscutellarioides (L .) Codd)', *Scientia*, 5(2), pp. 84–91.
- Asroel, H.A. *et al.* (2020) 'Poguntano effect on cell viability in cholesteatoma keratinocyte of chronic suppurative otitis media', *Medicinski Glasnik*, 17(2), pp. 451–456. Available at: <https://doi.org/10.17392/1155-20>.
- Audina, M. *et al.* (2018) 'Efektivitas Antiinflamasi Ekstrak Etanol Daun Sumambu (Hyptis capitata Jacq .) pada Tikus Jantan (Rattus norvegicus L .). Bocelebes. Yang Diinduksi Dengan Karagenan', *Biocelebes*, 12(2), pp. 17–23.
- Baig, M.M. *et al.* (2011) 'Prevalence of Cholesteatoma and its Complications in Patients of Chronic Suppurative Otitis Media', *Journal of Rawalpindi Medical College (JRMC)*, 15(1), pp. 16–17.
- Balfas, H.A. *et al.* (2017) *Bedah Otologi dan Bedah Neurotologi Dasar*. Jakarta: ECG.
- Bartosikova, L. and Necas, J. (2018) 'Epigallocatechin gallate: A review', *Veterinarni Medicina*, 63(10), pp. 443–467. Available at: <https://doi.org/10.17221/31/2018-VETMED>.
- Bennett, M. *et al.* (2006) 'Congenital Cholesteatoma : Theories , Facts , and 53 Patients', *Otolaryngologic Clinics Of North America*, 39, pp. 1081–1094. Available at: <https://doi.org/10.1016/j.otc.2006.08.001>.
- Britze, A. *et al.* (2014) '44-Plex Cytokine Profile of Cholesteatoma', *Acta Oto-Laryngologica*, 134, pp. 41–50. Available at: <https://doi.org/10.3109/00016489.2013.844360>.
- Caponetti, G. *et al.* (2009) 'Cholesteatoma', *ENT-Ear, Nose & Throat Journal*, pp. 1196–1198.

- Chabaud, S. *et al.* (2016) 'Origin of Serum Affects Quality of Engineered Tissues Produced by the Self-Assembly Approach', *Scientifica*, pp. 1–10. Available at: <https://doi.org/10.1155/2016/3825645>.
- Chacko, S.M. *et al.* (2010) 'Beneficial effects of green tea : A literature review', *Chinese Medicine*, 5(13), pp. 1–9.
- Chavada, P.S. *et al.* (2018) 'Middle ear cholesteatoma : a study of correlation between HRCT temporal bone and intraoperative surgical findings', *International Journal of Otorhinolaryngology and Head and Neck Surgery*, 4(5), pp. 1252–1257.
- Chen, L. *et al.* (2012) *Global Tea Breeding*. China: Zhejiang University Press.
- Chole, R.A. and Sudhoff, H.H. (2010) 'Chronic Otitis Media , Mastoiditis , and Petrositis', *Clinical Gate*, pp. 1–17.
- Chung, J.H. *et al.* (2003) 'Dual mechanisms of green tea extract-induced cell survival in human epidermal keratinocytes', *The FASEB Journal*, 17(13), pp. 1913–1915. Available at: <https://doi.org/10.1096/fj.02-0914fje>.
- Chung, J.W. and Yoon, T.H. (1998) 'Different production of interleukin-1 α , interleukin-1 β and interleukin-8 from cholesteatomatous and normal epithelium', *Acta Oto-Laryngologica*, 118, pp. 386–391. Available at: <https://doi.org/10.1080/00016489850183485>.
- Dewi, N.L.K.A.A. *et al.* (2021) 'Uji In Vivo Tahap Preklinis Terhadap Ekstrak Batang Pisang (*Musa paradisiaca* L .) Sebagai Antiinflamasi Topikal', *Jurnal Riset Kefarmasian Indonesia*, 3(2), pp. 138–151.
- Dewi, Y.K. and Riyandari, B.A. (2020) 'Potensi Tanaman Lokal sebagai Tanaman Obat dalam Menghambat Penyebaran COVID-19', *Jurnal Pharmascience*, 07(02), pp. 112–128.
- Dhingra, P. (2010) *Diseases of Ear, Nose and Throat*. Fifth Edit. New Delhi: Elsevier Mosby.
- Dorscheid, D.R. *et al.* (2001) 'Apoptosis of airway epithelial cells induced by corticosteroids', *American Journal of Respiratory and Critical Care Medicine*, 164(10), pp. 1939–1947. Available at: <https://doi.org/10.1164/ajrccm.164.10.2103013>.
- Dyasti, P.W. *et al.* (2021) 'Potentially of Purple Leaves To Increase Osteoblastat Alveolar Bone Rat Induced Porphyromonas Gingivalis', *Journal of Vocational Health Studies*, 4, pp. 114–118. Available at: <https://doi.org/10.20473/jvhs.v4.i3.2021.114-118>.

- Erlangga, M.E. *et al.* (2015) 'Perbandingan Pemberian Deksametasone 10 Mg Dengan 15 Intravena Sebagai Adjuvan Analgetik Terhadap Sekala Nyeri Pasca Bedah Pada Pasien Yang Dilakukan Radikal Mastektomi Termodifikasi', *Jurnal Anestesi Perioperatif*, 3(3), pp. 146–154.
- Fachri, H.O. *et al.* (2018) 'Khasiat Ekstrak Buah Markisa Kuning (P. Edulis Sims) sebagai Antiinflamasi Dilihat dari Jumlah Monosit pada Tikus Wistar Jantan (Rattus norvegicus)', *STOMATOGNATIC - Jurnal Kedokteran Gigi*, 15(2), pp. 34–36. Available at: <https://doi.org/10.19184/stoma.v15i2.17930>.
- Friedland, D.R. *et al.* (2009) 'Cholesteatoma growth and proliferation: Posttranscriptional regulation by microRNA-21', *Otology and Neurotology*, 30(7), pp. 998–1005. Available at: <https://doi.org/10.1097/MAO.0b013e3181b4e91f>.
- Gaillardin, L. *et al.* (2012) 'Residual cholesteatoma: Prevalence and location . Follow-up strategy in adults', *European Annals of Otorhinolaryngology, Head and Neck diseases*, 129(3), pp. 136–140. Available at: <https://doi.org/10.1016/j.anorl.2011.01.009>.
- Handoko, E. *et al.* (2019) 'Hubungan derajat kolesteatoma dengan keberhasilan operasi mastoidektomi radikal pada penderita otitis media supuratif kronis', *ORLI*, 49(2), pp. 99–107.
- Hapsari, Y. and Siswati, A.S. (2011) *Pengaruh Epigallocatechin Gallate Terhadap Viabilitas Dan Produksi Interleukin 10 Pada Sel Mononuklear Darah Tepi Penderita Psoriasis*. Tesis Universitas Gajah Mada Yogyakarta.
- Herlina and Wardani, R.A. (2019) 'Efektivitas Formulasi Teh Herbal Untuk Menurunkan Resiko Gangguan Penyakit Tidak Menular', *Jurnal Keperawatan*, 12(1), pp. 24–34.
- Hosny, S. *et al.* (2014) 'Outcomes of Myringoplasty in Wet and Dry Ears', *The Journal of International Advanced Otology*, 10(3), pp. 256–259. Available at: <https://doi.org/10.5152/iao.2014.500>.
- Hung, P. *et al.* (2005) 'Antimitogenic effect of green tea (X) -epigallocatechin gallate on 3T3-L1 preadipocytes depends on the ERK and Cdk2 pathways', *Am J Physiol Cell Physiol*, 288, pp. 1094–1108. Available at: <https://doi.org/10.1152/ajpcell.00569.2004>.
- Ifora *et al.* (2020) 'Aktivitas Anti-inflamasi dan Daya Hambat Siklooksigenase-2 Ekstrak Etanol Daun Tembelekan (Lantana camara L .)', *Jurnal Farmasi Higea*, 12(1), pp. 32–39.

- Juneja, L.R. *et al.* (2013) 'Green Tea Polyphenols Nutraceuticals of Modern Life'. CRC Press, pp. 1–362.
- Kara, Ā.A. *et al.* (2019) 'Evaluation of the Effect of Diclofenac Sodium and 5-Fluourasil in a 3D Cholesteatoma Cell Culture Model', *Otology and Neurotology*, 40(8), pp. 1018–1025. Available at: <https://doi.org/10.1097/MAO.0000000000002297>.
- Khan, N. *et al.* (2006) 'Targeting Multiple Signaling Pathways by Green Tea Polyphenol (–)-Epigallocatechin-3-Gallate', *Cancer Research*, 66(5), pp. 2500–2505. Available at: <https://doi.org/10.1158/0008-5472.CAN-05-3636>.
- Khan, N. *et al.* (2007) 'Apoptosis by dietary factors: the suicide solution for delaying cancer growth', *Carcinogenesis*, 28(2), pp. 233–239. Available at: <https://doi.org/10.1093/carcin/bgl243>.
- Khan, N. and Mukhtar, H. (2019) 'Tea Polyphenols in Promotion of Human Health', *Nutrients*, 11(39), pp. 1–16. Available at: <https://doi.org/10.3390/nu11010039>.
- Khiewkamrop, P. *et al.* (2022) 'Epigallocatechin gallate triggers apoptosis by suppressing de novo lipogenesis in colorectal carcinoma cells', *FEBS Open Bio*, 12, pp. 937–958. Available at: <https://doi.org/10.1002/2211-5463.13391>.
- Khurshid, Z. *et al.* (2016) 'Green Tea (Camellia Sinensis): Chemistry and Oral Health', *The Open Dentistry Journal*, 10, pp. 166–173. Available at: <https://doi.org/10.2174/1874210601610010166>.
- Klllçkaya, M.M. *et al.* (2017) 'Is There A Systemic Inflammatory Effect of Cholesteatoma?', *International Archives of Otorhinolaryngology*, 21(1), pp. 42–45. Available at: <https://doi.org/10.1055/s-0036-1584363>.
- Krupkova, O. *et al.* (2014) 'Epigallocatechin 3-gallate suppresses interleukin-1 β -induced inflammatory responses in intervertebral disc cells in vitro and reduces radiculopathic pain in rats', *European cells & materials*, 28, pp. 372–386. Available at: <https://doi.org/10.22203/eCM.v028a26>.
- Kuczkowski, J. *et al.* (2011) 'Expression of Tumor Necrosis Factor- α , Interleukin-6 and Interleukin-10 in Chronic Otitis Media with Bone Osteolysis', *ORL*, 73, pp. 93–99. Available at: <https://doi.org/10.1159/000323831>.
- Kumar, B.Y.P. *et al.* (2015) 'Hearing Outcome In Canal Wall Down Mastoidectomy With Tympanoplasty', *J of Evolution Med and Dent Sci*, 4(32), pp. 5512–5517. Available at:

<https://doi.org/10.14260/jemds/2015/806>.

- Kuo, C. *et al.* (2015) 'Updates and Knowledge Gaps in Cholesteatoma Research', *BioMed Research International*, pp. 1–17.
- Lecru, L.A. *et al.* (2022) 'Multiplex Cytokine Analyses in Ear Canals of Dogs Suggest Involvement of IL-8 Chemokine in Atopic Otitis and Otodectic Mange—Preliminary Results', *Animals*, 12(5), pp. 1–11. Available at: <https://doi.org/10.3390/ani12050575>.
- Lubis, Y.M. *et al.* (2016) 'Profile of chronic suppurative otitis media patients with positive fungal culture in Medan , Indonesia', *Journal of Chemical and Pharmaceutical Research*, 8(1), pp. 23–26.
- Luo, K. *et al.* (2017) 'ScienceDirect EGCG inhibited bladder cancer SW780 cell proliferation and migration both in vitro and in vivo via down-regulation of NF- κ B and MMP-9', *The Journal of Nutritional Biochemistry*, 41, pp. 1–9. Available at: <https://doi.org/10.1016/j.jnutbio.2016.12.004>.
- Master, A. *et al.* (2018) 'Management of Chronic Suppurative Otitis Media and Otosclerosis in Developing Countries', *Otolaryngologic Clinics of NA*, 51(3), pp. 593–605. Available at: <https://doi.org/10.1016/j.otc.2018.01.017>.
- Mittal, R. *et al.* (2015) 'Current concepts in the pathogenesis and treatment of chronic suppurative otitis media', *Journal of Medical Microbiology*, 64(10), pp. 1103–1116. Available at: <https://doi.org/10.1099/jmm.0.000155>.
- Mukherjee, P.K. (2019) 'Bioassay-Guided Isolation and Evaluation of Herbal Drugs', *Quality Control and Evaluation of Herbal Drugs*, pp. 515–537. Available at: <https://doi.org/10.1016/b978-0-12-813374-3.00013-2>.
- Musdalifah (2016) *Penentuan Suhu Dan Waktu Optimum Penyeduhan Daun Teh Hijau (Camelia Sinensis L.) P+3 Terhadap Kandungan Antioksidan Kafein, Tanin Dan Katekin*. Skripsi Universitas Islam Negeri Alauddin Makassar.
- Naufa, F. *et al.* (2022) 'Studi in Silico Potensi Senyawa Katekin Teh Hijau (Camellia sinensis) sebagai Antivirus SARS CoV-2 terhadap Spike Glycoprotein (6LZG) dan Main Protease (5R7Y)', *Journal of Food and Pharmaceutical Sciences*, 10(1), pp. 584–596.
- Orji, F.T. *et al.* (2015) 'The changing epidemiological and complications profile of chronic suppurative otitis media in a developing country after two decades', *European Archives of Oto-Rhino-Laryngology* [Preprint].

Available at: <https://doi.org/10.1007/s00405-015-3840-1>.

- Pai, S. and Parikh, S.R. (2022) 'Chapter 49. otitis media, Current Diagnosis & Treatment in Otolaryngology—Head & Neck Surgery.', *Access Medicine*, pp. 1–12.
- Pangemanan, D.M. *et al.* (2018) 'Otitis Media Supuratif Kronik di Poliklinik THT-KL RSUP Prof. Dr. R. D. Kandou Manado Periode Januari 2014 – Desember 2016', *e-CliniC*, 6(1), pp. 31–35. Available at: <https://doi.org/10.35790/ecl.6.1.2018.19500>.
- Park, S.J. and Lee, Y.C. (2010) 'Interleukin-17 regulation: an attractive therapeutic approach for asthma', *Respiratory Research*, 11(78), pp. 1–11.
- Persaud, R. *et al.* (2007) 'Evidence-based review of aetiopathogenic theories of congenital and acquired cholesteatoma', *Journal of Laryngology and Otology*, 121(11), pp. 1013–1019. Available at: <https://doi.org/10.1017/S0022215107000503>.
- Pijuan, J. *et al.* (2019) 'In vitro Cell Migration, Invasion, and Adhesion Assays: From Cell Imaging to Data Analysis', *Frontiers in Cell and Developmental Biology*, 7, pp. 1–16. Available at: <https://doi.org/10.3389/fcell.2019.00107>.
- Purnami, N.P.. *et al.* (2014) 'Evaluasi Penggunaan Deksametason Pada Pasien Anak Dengan Demam Tifoid', *Jurnal Farmasi Udayana*, pp. 68–73.
- Ramadhani, Y. *et al.* (2022) 'A mucoadhesive gingival patch with Epigallocatechin-3-gallate green tea (*Camellia sinensis*) as an alternative adjunct therapy for periodontal disease: A narrative review', *Dental Journal*, 55(2), pp. 114–119. Available at: <https://doi.org/10.20473/j.djmk.v55.i2.p114-119>.
- Restuti, R.D. (2014) 'Pengaruh deksametason terhadap proliferasi sel, kadar IL- α , dan TNF- α pada biakan kolesteatoma', *ORLI*, 44(1), pp. 11–18.
- Riskesdas (2013) *Hasil Riset Kesehatan Dasar Tahun 2013, Kemenkes RI*.
- Rout, M.R. *et al.* (2012) 'Prevalence of cholesteatoma in chronic suppurative otitis media with central perforation', *Indian Journal of Otology*, 18(1), pp. 7–11. Available at: <https://doi.org/10.4103/0971-7749.98280>.
- Santos, R.A. *et al.* (2021) 'Green Tea (*Camellia sinensis*) Extract Induces p53-Mediated Cytotoxicity and Inhibits Migration of Breast Cancer Cells', *Foods*, 10(3154), pp. 1–15. Available at:

<https://doi.org/https://doi.org/10.3390/foods10123154>.

- Serban, R. *et al.* (2021) 'IL-1 α , IL-6 and IL-8 serum values in patients with chronic suppurative otitis media', *Experimental and Therapeutic Medicine*, 22, pp. 1–7. Available at: <https://doi.org/10.3892/etm.2021.10660>.
- Sevillano, D.M. *et al.* (2013) 'Model comparison for the prediction of the solubility of green tea catechins in ethanol/water mixtures', *Industrial and Engineering Chemistry Research*, 52(17), pp. 6039–6048. Available at: <https://doi.org/10.1021/ie400113t>.
- Shutava, T.G. *et al.* (2009) '(-)-Epigallocatechin gallate/gelatin layer-by-layer assembled films and microcapsules', *Journal of Colloid and Interface Science*, 330(2), pp. 276–283. Available at: <https://doi.org/10.1016/j.jcis.2008.10.082>.
- Singh, R. *et al.* (2010) 'Green tea polyphenol epigallocatechi3-gallate: Inflammation and arthritis', *Life Sciences*, 86, pp. 907–918. Available at: <https://doi.org/10.1016/j.lfs.2010.04.013>.
- Siregar, D.R. (2013) *Profil Penderita Otitis Media Supuratif Kronis (OMSK) Tipe Bahaya di RSUP. H. Adam Malik Medan Tahun 2006-2010*. Tesis Fakultas Kedokteran Universitas Sumatera Utara.
- Smirnova, M.G. *et al.* (2004) 'The immunoregulatory and allergy-associated cytokines in the aetiology of the otitis media with effusion', *Mediators of Inflammation*, 13(2), pp. 75–88. Available at: <https://doi.org/10.1080/09629350410001688477>.
- Soepardi, E.A. *et al.* (2018) *Telinga Hidung Tenggorok Kepala & Leher*. Jakarta: Fakultas Kedokteran Universitas Indonesia.
- Susanti, G. (2017) 'Efek Anti Inflamasi Ekstrak Daun Binahong [Anredera cordifolia (Ten.) Steenis] Topikal terhadap Jumlah PMN Neutrofil pada Tikus Jantan Sprague Dawley', *Jurnal Kesehatan*, 8(3), pp. 351–357. Available at: <https://doi.org/10.26630/jk.v8i3.644>.
- Suvanprakorn, P. *et al.* (2019) 'Establishment of an Anti-acne Vulgaris Evaluation Method Based on TLR2 and TLR4-mediated Interleukin-8 Production', *In Vivo*, 33(6), pp. 1929–1934. Available at: <https://doi.org/10.21873/invivo.11687>.
- Syahidah, H.N. and Hadisaputri, Y.E. (2016) 'Review Artikel: Media Yang Digunakan Pada Kultur Sel', *Farmaka*, 14(3), pp. 27–36.

- Tono, T. *et al.* (2016) 'Staging and classification criteria for middle ear cholesteatoma proposed by the Japan Otological Society', *Auris Nasus Larynx*, pp. 1–6. Available at: <https://doi.org/10.1016/j.anl.2016.06.012>.
- Towaha, J. and Balittri (2013) 'Kandungan senyawa kimia pada daun teh (*Camellia sinensis*)', *Warta Pertanian dan Pengembangan Tanaman Industri*, 19(3), pp. 12–16.
- Tuloli, T.S. *et al.* (2019) 'Evaluasi Penggunaan Obat Pada Pasien Gagal Ginjal Kronik Yang Menjalani Hemodialisis Di Rsud Toto Kabila Periode 2017-2018', *ejournal poltektegal*, 8(2), pp. 25–32.
- Turner, L. (2014) *Diseases of the Nose, Throat and Ear*. London: CRC Press.
- Veen, E.L. van der *et al.* (2006) 'Predictors of Chronic Suppurative Otitis Media in Children', 132, pp. 1115–1118.
- Vitale, R.F. *et al.* (2011) 'TNF-R2 expression in acquired middle ear cholesteatoma', *Brazilian Journal of Otorhinolaryngology*, 77(4), pp. 531–536. Available at: <https://doi.org/10.1590/S1808-86942011000400020>.
- WHO (2004) *Chronic suppurative otitis media, Clinical evidence*. Geneva: World Health Organization.
- Wilsen *et al.* (2014) 'Gambaran Audiologi dan Temuan Intraoperatif Otitis Media Supuratif Kronik dengan Kolesteatoma Pada Anak', *MKS*, 46(2), pp. 124–127.
- Yang, C.S. and Wang, H. (2016) 'Cancer Preventive Activities of Tea Catechins', *Molecules*, 21(1679), pp. 1–19. Available at: <https://doi.org/10.3390/molecules21121679>.
- Yarisman, L. *et al.* (2017) 'Hubungan ekspresi RANKL dengan derajat destruksi tulang akibat kolesteatoma pada otitis media supuratif kronik', *Oto Rhino Laryngologica Indonesiana*, 47(1), pp. 1–10. Available at: <https://doi.org/10.32637/orli.v47i1.189>.
- Yung, M. *et al.* (2017) 'EAONO / JOS Joint Consensus Statements on the Definitions, Classification and Staging of Middle Ear Cholesteatoma', *The Journal of International Advanced Otolaryngology*, 13(1), pp. 1–8. Available at: <https://doi.org/10.5152/iao.2017.3363>.