

DAFTAR PUSTAKA

Al-Quran dan Terjemahnya. 2010. *Kitab Suci Al-Qur'an*. Departemen Agama RI. Jakarta.

Abdel R, et al. Maternal Exposure of Rats to Nicotine Via Infusion During Gestation Produces Neurobehavioral Deficits and Elevated Expression of Glial Fibrillary Acidic Protein in the Cerebellum and CA1 Subfield in the Offspring at Puberty. *Toxicology* 2005; 209:245-261.

Adkison S.E, et al. Electronic nicotine delivery systems: international tobacco control four-country survey. *Am J Prev Med* 2013; 44: 207–15.

Ajzen I. The theory of planned behaviour: Reactions and reflections. *Psychology & Health* 2011;26(9):1113–1127.

Alati R, et al. In Utero and Postnatal Maternal Smoking and Asthma in Adolescence. *Epidemiology* 2006; 17: 138-144.

Amin AS. 2012. Bahaya Merokok dalam Islam. Diunduh dari: www.pai79.wordpress.com/2011/03/page/3/

Bahraen R, 2012. *Ancaman Hukuman Bagi Perokok Di Akhirat*. [https:// muslimafiyah.com/ancaman-hukuman-bagi-perokok-di-akhirat.html](https://muslimafiyah.com/ancaman-hukuman-bagi-perokok-di-akhirat.html). diakses 27 Januari 2017.

Bangun, A.P. 2008. *Sikap Bijak Bagi Perokok – Solusi Tuntas Untuk Mengurangi Rokok dan Berhenti Meroko*. Jakarta: Indocamp.

Berlin I, et al. Nicotine Patches in Pregnant Smokers: Randomised, Placebo Controlled, Multicentre Trial of Efficacy *BMJ* 348;g1622.

Berridge MS, et al. Smoking Produces Rapid Rise of [¹¹C]Nicotine in Human Brain. *Psychopharmacology (Berl)* 2010; 209:383-394.

Bhatnagar A, et al. Electronic Cigarettes: a Policy Statement From the American Heart Association. *Circulation* 2014;130:1418-1436.

Bigman CA. E-cigarette awareness and perceived harmfulness: prevalence and associations with smoking-cessation outcomes. *Am J Prev Med* 2014;47:141–149.

Bruin JE, et al. Long-Term Consequences of Fetal and Neonatal Nicotine Exposure: a Critical Review. *Toxicol Sci* 116:364-374.

Bullen C, et al. Effect of an Electronic Nicotine Delivery Device (E-Cigarette) on Desire to Smoke and Withdrawal, User Preference and Nicotine Delivery: Randomised Cross-Over Trial. *Tob Control* 2010;19:98-103.

Camenga DR, et al. Trends in Use of Electronic Nicotine Delivery Systems by Adolescent. *Addict Behav* 2014;39:338-340.

Caponnetto P, et al. Efficiency and Safety of an Electronic Cigarette as Tobacco Cigarettes Substitute: a Prospective 12 Month Randomized Control Design Study. *Plos One* 2013;8:e66317.

Caponnetto P, et al. Impact of an electronic cigarette on smoking reduction and cessation in schizophrenic smokers: a prospective 12-month pilot study. *Int J Environ Res Public Health* 2013; 10: 446–61.

Cheah N. P, et al. Electronic nicotine delivery systems: regulatory and safety challenges: Singapore perspective. *Tob Control* 2012; 23: 119–25.

Cheng T. Chemical Evaluation of Electronic Cigarettes. *Tobacco Control* 2014;23:ii11-ii17.

Choi H, et al. Common household chemicals and the allergy risks in pre-school age children. *PLOS ONE* 2010; 5: e13423.

Choi K, et al. Young adults' favorable perceptions of snus, dissolvable tobacco products, and electronic cigarettes: Findings from a focus group study. *American Journal of Public Health* 2012;102(11):2088–2093.

Cnattingius S. The Epidemiology of Smoking During Pregnancy: Smoking Prevalence, Maternal Characteristics, and Pregnancy Outcomes. *Nicotine Tob Res* 2004;6:S125-S140.

Coleman T, et al. Efficacy and safety of nicotine replacement therapy for smoking cessation in pregnancy: systematic review and meta-analysis. *Addiction* 2011;106:52–61.

Coleman T, et al. A randomized trial of nicotine-replacement therapy patches in pregnancy. *N Engl J Med* 2012;366:808–818.

Corey C, et al. Electronic cigarette use among middle and high school students - United States, 2011– 2012. *MMWR Morb Mortal Wkly Rep* 2013; 62:729–730.

Czogala J, et al. Secondhand exposure to vapors from electronic cigarettes. *Nicotine Tob Res* 2014;16:655–662.

Dawkins, L. (2013) Electronic cigarettes: what are they and are they effective? E-Cigarette Summit, London, UK (oral presentation). : <http://e-cigarette-summit.com/wp-content/uploads/2013/12/Summit-Presentations.pdf> Diakses pada 22 December 2013.

Dawkins L, et al. ‘Vaping’ profiles and preferences: an online survey of electronic cigarette users. *Addiction* 2013; 108: 1115–25.

Dawkins L. The electronic cigarette: effects on desire to smoke, withdrawal symptoms and cognition. *Addict Behav* 2012; 37: 970–3.

Dzakir A. 2009. Fatwa rokok “Haram”. Diunduh dari: www.dewandakwahjakarta.or.id/index.php/fatwa-rokok-haram/.

Ernst M. Behavioral and neural consequences of prenatal exposure to nicotine. *J Am Acad Child Adolesc Psychiatry* 2001;40:630–641.

Etter J.F, et al. Electronic cigarette: users profile, utilization, satisfaction and perceived efficacy. *Addiction* 2011; 106: 2017–28.

Etter J. F. The Electronic Cigarette: an alternative to tobacco? Geneva: Faculty of Medicine. University of Geneva; 2012.

Etter J. F, et al. Analysis of refill liquids for electronic cigarettes. *Addiction* 2013; 108: 1671–9.

Farsalinos K. E, et al. Impact of flavour variability on electronic cigarette use experience: an internet survey. *Int J Environ Res Public Health* 2013; 10: 7272–82.

Farsalinos K. E, et al. Evaluation of electronic cigarette use (vaping) topography and estimation of liquid consumption: implications for research protocol standards definition and for public health authorities’ regulation. *Int J Environ Res Public Health* 2013; 10: 2500–14.

Ferguson BB, et al. Determination of nicotine concentrations in human milk. *Am J Dis Child* 1976;130:837–839.

Foulds J, et al. Electronic cigarettes (e-cigs): views of aficionados and clinical/public health perspectives. Int J Clin Pract 2011;65:1037–1042.

Gao YJ, et al. Effects of fetal and neo- natal exposure to nicotine on blood pressure and perivascular adipose tissue function in adult life. Eur J Pharmacol 2008;590:264– 268.

Gao YJ, et al. Prenatal exposure to nicotine causes postnatal obesity and altered perivascular adi- pose tissue function. Obes Res 2005;13:687–692.

Genedani S, et al. Sex-linked differences in avoidance learning in the offspring of rats treated with nicotine during pregnancy. Psychopharmacology (Berl) 1983;80:93–95.

Ghani. 2010. Rokok Menurut Pandangan Islam. Diunduh dari: <http://nvsad.student.umm.ac.id/2010/07/15/rokok-menurut-pandangan-islam/>.

Glantz SA. Electronic cigarettes and conven- tional cigarette use among US adolescents: a cross-sectional study. JAMA Pediatr 2014; 168:610–617.

Goniewicz, et al. Nicotine Levels in Electronic Cigarettes. Oxford University 2012 ; 1-9.

Goniewicz ML, et al. Nicotine levels in electronic cigarettes. Nicotine Tob Res 2013;15:158–166.

Goniewicz ML, et al. Patterns of electronic cigarette use and user beliefs about their safety and benefits: an internet survey. Drug Alcohol Rev 2013b;32:133–140.

Goniewicz M. L, et al. Levels of selected carcinogens and toxicants in vapour from electronic cigarettes. Tob Control 2013; 23: 133–9.

Gotti C, et al. Structural and functional diversity of native brain neuronal nicotinic receptors. Biochem Pharmacol 2009;78:703–711.

Hajek P, Etter J, et al. Electronic cigarettes: review of use, content, safety, effects on smokers and potential for harm and benefit. Society for the study of addiction 2014 ; 1-10.

Hanif. 2012. Hukum merokok ditinjau dari islam. Diunduh dari: www.konsultasi

syariah.com/hukum-rokok-dalam-islam/.

Hecht, S. S. Lung carcinogenesis by tobacco smoke. *International Journal of Cancer. Journal international du cancer* 2012;131(12):2724–2732.

Hecht S. S, et al. Tobacco-specific nitrosamines, an important group of carcinogens in tobacco and tobacco smoke. *Carcinogenesis* 1988; 9: 875–84.

Holloway AC, et al. Fetal and neonatal exposure to nicotine in Wistar rats results in increased beta cell apoptosis at birth and postnatal endocrine and metabolic changes associated with type 2 diabetes. *Diabetologia* 2005;48:2661– 2666.

Hotham ED, et al. A randomised- controlled pilot study using nicotine patches with pregnant women. *Addict Behav* 2006;31:641–648.

Ibrahim L. 2010. Makalah Hukum Rokok dan Merokok dalam Konsep Islam. Jakarta; hlm. 3-5. Diunduh dari: www.makalahmajannaii.com

Kenny T. Nicotine replacement therapy. 2015. <http://www.stillingtondoctors.co.uk/health-information> (di akses pada 17 Juni 2017)

Kim H. J, et al. Determination of tobacco specific nitrosamines in replacement liquids of electronic cigarettes by liquid chromatography tandem mass spectrometry. *J Chromatogr A* 2013; 1291: 48–55.

King, B. A, et al. (2013). Awareness and ever-use of electronic cigarettes among U.S. adults, 2010–2011. *Nicotine & Tobacco Research* 2013;15(9):1623–1627.

Kralikova E, et al. Do e-cigarettes have the potential to compete with conventional cigarettes?: a survey of conventional cigarette smokers' experiences with e-cigarettes. *Chest* 2013;144:1609–1614.

Konstantinos E, et al. Safety Evaluation and Risk Assessment of Electronic Cigarettes as Tobacco Cigarette Substitutes: A Systematic Review. *Therapeutic Advances in Drug Safety* 2014 ; Vol.5(2):67-86.

Mantella NM, et al. Fetal nicotine exposure increases preference for nicotine odor in early postnatal and adolescent, but not adult, rats. *PLoS One* 2013;8:e84989.

Maritz GS. Perinatal exposure to nicotine and implications for subsequent obstructive lung disease. *Paediatr Respir Rev* 2013;14: 3–8.

McAuley TR, et al. Comparison of the effects of e-cigarette vapor and cigarette smoke on indoor air quality. *Inhal Toxicol* 2013;24:850–857.

McRobbie H, et al. Effects of the use of electronic cigarettes with and without concurrent smoking on acrolein delivery. Society for Research on Nicotine and Tobacco, 20th Annual Meeting, Seattle, Washington; 2014. https://srnt.org/conferences/2014/pdf/SRNT_2014_Rapids_C.pdf (diakses pada 10 Juli 2014) (Diarsipkan di <http://www.webcitation.org/6QxTtjdC6> pada 10 Juli 2014).

Melissa A, et al. Is There Evidence for Potential Harm of Electronic Cigarette Use in Pregnancy ?. *Wiley Periodicals* 2014;103:186-195.

Mund M, et al. Smoking and Pregnancy – a Review on the first Major Environmental Risk Factor of the Unborn. *Int F Environ Res Public Health* 2013;10:6485-6499.

Muneoka K, et al. Nicotine exposure during pregnancy is a factor which influences serotonin trans- porter density in the rat brain. *Eur J Pharmacol* 2001;411:279–282.

Muneoka K, et al. Prenatal nicotine exposure affects the development of the central serotonergic sys- tem as well as the dopaminergic system in rat offspring: involve- ment of route of drug administrations. *Brain Res Dev Brain Res* 1997;102:117–126.

Moses A, “Expert Wary of E-Cigarettes as Test Run Looms”. *The Sydney Morning Herald*, 4 Maret 2013.

Nides M. A, et al. Nicotine blood levels and short-term smoking reduction with an electronic nicotine delivery system. *Am J Health Behav* 2014; 38: 265–74.

Nuryati S, 2008. *Hampir 90% Wanita Muda Indonesia Perokok*. <http://indotc.4umer.com/your-first-forum-f1/1/Tobacco>. Diakses 28 April 2012.

Oncken C, et al. Nicotine gum for pregnant smokers: a randomized controlled trial. *Obstet Gynecol* 2008;112:859–867.

Osadchy A, et al. Nicotine Replacement Therapy During Pregnancy: Recommended or Not Recommended ?. *F Obstet Gynaecol Can* 2009; 31:744-747.

Petrik JJ, et al. Effects of rosiglita- zone on ovarian function and fertility in animals with reduced fertility following fetal and neonatal exposure to nicotine. *Endocrine* 2009;36:281–290.

Philip R, Kenia M, et al. Perceptions about e-cigarette safety may lead to e-smoking during pregnancy. *Bulletin for Menninger Clinic* 2014; Vol.78(3):243-252.

Phyllis L, et al. Gender Differences in Cigarette Smoking and Quitting in a Cohort of Young Adults. *American Journal of Public Health* 1991; Vol.81(3):324-327.

Polosa R, et al. Effect of an electronic nicotine delivery device (e-Cigarette) on smoking reduction and cessation: a prospective 6 month pilot study. *BMC Public Health* 2011; 11:786.

Polosa R. et al. Effectiveness and tolerability of electronic cigarette in real-life: a 24-month prospective observational study. *Intern Emerg Med* 2013; doi: 10.1007/s11739-013-0977-z [E-pub ahead of print].

Prabaningrum V, Suci W dan Weny L. 2009. *Perokok Wanita dalam Perspektif Demografi dan Kejadian Penyakit di Indonesia*. Vol. 12. Surabaya: Puslitbang Sistem dan Kebijakan Kesehatan.

Rehan VK, et al. Perinatal nicotine exposure induces asthma in second generation offspring. *BMC Med* 2012 10:129.

Ribary U, et al. Effects of acute and chronic prenatal nicotine treatment on central catecholamine systems of male and female rat fetuses and offspring. *J Pharmacol Exp Ther* 1989;248:786–792.

Riker CA, et al. E-cigarettes: promise or peril?. *Nurs Clin N Am* 2012;47:159–171.

Robert B, Stephen J. E-cigarettes and pregnancy. Is a closer look appropriate ?. *The Royal Australian and New Zealand College of Obstetricians and Gynaecologists* 2015 ; 218-221.

Rochmah. 2004. *Inilah Islam. Kalam Mulia*. Jakarta : hal 115-118.

Romagna G, et al. Cytotoxicity evaluation of electronic cigarette vapor extract on cultured mammalian fibroblasts (ClearStream-LIFE): comparison with tobacco cigarette smoke extract. *Inhal Toxicol* 2013; 25: 354– 61.

Salas R, et al. Decreased signs of nicotine withdrawal in mice null for the beta4 nicotinic acetylcholine receptor subunit. *J Neurosci* 2004; 24:10035–10039.

Sayyid ABM, 2004. Rahasia Kesehatan Nabi. Tiga Serangkai Pustaka Mandiri, Solo.

Schober W, et al. Use of electronic cigarettes (e-cigarettes) impairs indoor air quality and increases FeNO levels of e-cigarette consumers. *Int J Hyg Environ Health* 2014; 217:628–637.

Seidler FJ, et al. Fetal nicotine exposure ablates the ability of postnatal nicotine challenge to release norepinephrine from rat brain regions. *Brain Res Dev Brain Res* 1992;69:288–291.

Sekhon HS, et al. Prenatal nicotine increases pulmonary alpha 7 nicotinic receptor expression and alters fetal lung development in monkeys. *J Clin Invest* 1999;103:637– 647.

Sekhon HS, et al. Prenatal nicotine exposure increases connective tissue expression in foetal monkey pulmonary vessels. *Eur Respir J* 2004;23:906–915.

Shihab MQ, 1999. *Wawasan Al-Quran: Tafsir AMudhu'i Atas Pelbagai Persoalan Umat*. Bandung: Mizan.

Shipton D, et al. Reliability of Self Reported Smoking Status by Pregnant Women for Estimating Smoking Prevalence: a Retrospective, Cross-Sectional Study. *BMJ* 2009; 339: b4347.

Siegel MB, et al. Electronic cigarettes as a smoking-cessation: tool results from an online survey. *Am J Prev Med* 2011;40:472–475.

Siegel M. Metals in Electronic Cigarette Vapor are Below USP Standards for Metals in Inhalation Medications. 2013. <http://tobaccoanalysis.blogspot.co.uk/2013/04/metals-in-electronic-cigarette-vapor.html> (Diakses pada 16 September 2013) (diarsipkan di <http://www.webcitation.org/6Qn8mZtL6> pada 3 Juli 2014).

Slotkin TA, et al. Effects of prenatal nicotine exposure on biochemical development of rat brain regions: maternal drug infusions via osmotic minipumps. *J Pharmacol Exp Ther* 1987;240:602–611.

Sullivan EA, et al. Smoking and Pregnancy. Cat. No. PER 33. Canberra: AIHW 2006.

Suter M, et al. Genetic and epi- genetic influences associated with intrauterine growth restriction due to in utero tobacco exposure. *Pediatr Endocrinol Rev* 2010;8:94– 102.

Syabhana O, 2001. Pengaruh Rokok Terhadap Kesehatan. Jakarta.

Thorgeirsson TE, et al. Sequence variants at CHRN3-CHRNA6 and CYP2A6 affect smoking behavior. *Nat Genet* 2010;42:448–453.

Tillery K, et al. Pharmacogenomic of Maternal Tobacco Use: Metabolic Gene Polymorphism and Risk of Adverse Pregnancy Outcomes. *Obstet Gynecol* 2010; 115:568-577.

Tilly JL, et al. Germline energetics, aging, and female infertility. *Cell Metab* 2013;17:838–850.

Tizabi Y, et al. Hyperactivity in the offspring of nicotine-treated rats: role of the mesolimbic and nigrostriatal dopaminergic pathways. *Pharmacol Biochem Behav* 1994;47:331–337.

Trtchounian A, et al. Conventional and Electronic Cigarettes (e-cigarettes) have different smoking characteristics. *Nicotine & Tobacco Research* 2010; 12:905-912.

Tuasikal MA, 2014. *Wanita Perokok*. dalam: Al Minhaj Syarh Shahih Muslim bin Al Hajjaj. <https://rumaysho.com/9316-wanita-perokok.html>. diakses 27 Januari 2017.

Ulama Komisi Fatwa MUI se-Indonesia, Padang Panjang, 26–28 Muharram 1430 H/24–26 Januari 2009.

Vansickel A, et al. Clinical laboratory assessment of the abuse liability of an electronic cigarette. *Addiction* 2012; 107: 1493–500.

Westenberger B. J. Evaluation of e-cigarettes. St Louis, MO: Department of Health and Human Services, Food and Drug Administration, Center for Drug valuation and Research. Division of Pharmaceutical Analysis; 2009.

Wickstrom, R. Effects of nicotine during pregnancy: Human and experimental evidence. *Current Neuropharmacology*, 2007;5(3):213–222.

Williams M, et al. Metal and silicate particles including nanoparticles are present in electronic cigarette cartomizer fluid and aerosol. *PLOS ONE* 2013; 8: e57987.

Yunus Z, 2008. Kesehatan Menurut Islam, Balai Pustaka, Jakarta.

Zainuddin, M. 1996. Tanya Jawab lengkap agama dan kehidupan. Lentera Basari.

Jakarta.

Zuhroni, Riani Nur, Nazaruddin Nirwan. 2003. *Islam Untuk Disiplin Ilmu Kesehatan dan Kedokteran 2*. Jakarta: Departemen Agama RI.

Zuhroni, 2016. *Bahan Kuliah Agama Islam “Penelitian Dalam Perspektif Islam”*. Jakarta: Bagian Agama Universitas YARSI.

Zuhroni 2010¹. Makhluk: Dasar dan Sumber Syariat Islam. Jakarta: Bagian Agama Islam Universitas YARSI.

Zuhroni 2010². Kedokteran Dalam Islam: Pandangan Islam terhadap Masalah Kedokteran dan Kesehatan. Jakarta: Bagian Agama Islam Universitas YARSI.

Zulkifli, 1994. Hidup Sehat di Dunia dalam Kesehatan Menurut Islam. Pustaka, Bandung.

Zulmaizarna. 2009. *Akhlak Mulia Bagi Para Pemimpin*. Al-Fikriis. Bandung.