

## DAFTAR PUSTAKA

- Al-Quran dan Terjemahnya. (2013). Departemen Agama Republik Indonesia. Jakarta
- Barmeyer J. Postmortale Koronarangiographie und Perfusion normaler und pathologisch veränderter Herzen, Messung der Durchflusskapazität interkoronarer Anastomosen. [In German.] Beitr Pathol Anat 1968; 137: 373–90
- Bolliger SA, Filograna L, Spendlove D, Thali MJ, Dirnhofer S, Ross S. Postmortem imaging-guided biopsy as an adjuvant to minimally invasive autopsy with CT and postmortem angiography: a feasibility study. *AJR Am J Roentgenol* 2010;195:1051–6.
- Brugier C, Mosimann PJ, Vaucher P, Uske A, Doenz F et al, Multiphase postmortem CT angiography: recognizing technique-related artefacts and pitfalls. *Int J Legal Med* 2013; 127: 639-52.
- Chevallier C, Doenz F, Vaucher P, Palmiere C, Dominguez A et al. Postmortem computed tomography angiography vs. conventional autopsy : advantages and inconveniences of each method. *Int J Legal Med* 2013; 127: 981-9
- Deo R, Albert CM. Epidemiology and genetics of sudden cardiac death. *Circulation* 2012; 125: 620–37. doi: [10.1161/CIRCULATIONAHA.111.023838](https://doi.org/10.1161/CIRCULATIONAHA.111.023838)
- Dheni H, 2009

- Falzi G, Henn R, Spann W. On pulmonary fat embolism after injuries with different periods of survival. *Munch Med Wochenschr* 1964;106:978–81
- Grabherr S, Doenz F, Steger B, Dirnhofer R, Dominguez A, Sollberger B. 2011;125: 791-802.
- Grabherr S, Hess A, et al. Angiofil-mediated visualization of the vascular system by microcomputed tomography: a feasibility study. *Microsc Res Tech* 2008; 71: 551-6.
- Grabherr S, Doenz F, Steger B, et al. Multiphase post-mortem CT angiography: development of standardized protocol. *Int J Legal Med* 2011; 125; 791-802.
- Grabherr S. Post-mortem angiography after vascular perfusion with diesel oil and a lipophilic contrast agent. In: *The virtopsy approach—3D optical and radiological scanning and reconstruction in forensic medicine*. New York: CRC Press; 2009.
- Grabherr S, Gygax E, Sollberger B, Ross S, Oesterhelweg L, Bolliger S, et al. Two-step postmortem angiography with a modified heart-lung machine: preliminary results. *AJR Am J Roentgenol* 2008; 190: 345–51. doi: [10.2214/AJR.07.2261](https://doi.org/10.2214/AJR.07.2261).
- Grabherr S, Doenz F, Steger B, Dirnhofer R, Dominguez A, Sollberger B, et al. Multi-phase post-mortem CT angiography: ( development of a standardized protocol. *Int J Legal Med* 2011; 125: 791–802. doi: [10.1007/s00414-010-0526-5](https://doi.org/10.1007/s00414-010-0526-5)
- Han D, Lee KS, Franquet T, Muller NL, Kim TS. 2003;23:1521-39.

HR Abu Dawud, no 3207, hadits sahih ; HR Ahmad, Al Musnad, no 24.783

HR Abu Dawud, no 3207, hadits sahih; HR Ahmad, Al Musnad, no 24.783

Kennedy DW, Laing CJ, Tseng LH, Rose- nblum DI, Tamarkin SW.

Detection of active gastrointestinal hemorrhage with CT angiography: a 4(1/2)-year retrospective review. *J Vasc Interv Radiol* 2010; 21: 848–55. doi: [10.1016/j.jvir.2010.01.039](https://doi.org/10.1016/j.jvir.2010.01.039)

Knight B, Saukko P. Complications of injury. In: Knight B, Saukko P, editors. *Knight's forensic pathology*. London, UK: Edward Arnold Ltd, 2004;340–4

Krantz P, Holtas 1983; 7: 132-4.

Lee TC, Bartlett ES, Fox AJ, Symons SP. The hypodense artery sign. *AJNR Am J Neuroradiol* 2005;26:2027–9.

Liza K, 2013

Mason JK. Pulmonary fat and bone marrow embolism as an indication of ante-mortem violence. *Med Sci Law* 1968;8:200–6.

Mausu'ah Tibbiyyah Hadithah, 5/983

Nakasuma K, Tashiro S, Hiraoka T, Uemora K et al. Studies on anticancer treatment with an oily anticancer drug injected into the ligated feeding hepatic artery for liver cancer. *Cancer* 1983; 52: 2193-200.

Nucifora G, Hysko F, Vit A, Vasciaveo A. Pulmonary fat embolism: common and unusual computed tomography findings. *J Comput Assist Tomogr* 2007;31:806–7.

O'Donnell C, Woodford N. Post-mortem radiology—a new sub-speciality? *Clin Radiol* 2008;63(11):1189–94.

- Ravenel JG, Heyneman LE, Page McAdams H. Computed tomography diagnosis of macroscopic pulmonary fat embolism. *J Thorac Imaging* 2002;17:154–6
- Richter E. Postmortem angiocardiology pada bayi baru lahir dengan kelainan kongenital jantung dan pembuluh darah besar. *Pediatr Radiol* 1976; 4: 133-8.
- Riwayat Ahmad (6/364) dan Abu Daud (544), al-Baihaqi (4/58), dan disahihkan oleh al-Albani dalam *Irwa 'al-Ghalil* (3/212) dan (214).
- Ross S, Spendlove D, Bolliger S, Christe A, Oesterhelweg L, Grabherr S, et al. Postmortem whole-body CT angiography: evaluation of two contrast media solutions. *AJR Am J Roentgenol* 2008;190(5):1380–9.
- Salter, 1999
- Saunders SL, Morgan B, Raj V, Ruddy GN. 2011; 07:271-7.
- Schoenmackers J, Technik der postmortalen angiography mit berucksichtigung verwandter Methoden postmortaler Gefabdarstellung, [In German.] *Ergeb Allg Pathol Anat* 1960; 39: 53-151.
- Seegerberg-Kottinen M. Demonstration of eosophageal varices postmortem by gastroeosophageal phlebography. *J Forensic Sci* 1988;32 : 703-10.
- Skinner H B, 1999
- S. Jain, et al, 2008
- Tanner B, Jones J, Cople S, Davison P. Fat embolization in trauma facilities. *Ann Emerg Med* 1990;19:57
- Wangi D, 2013

Woo OH, Yong HS, Oh Y-W, Shin BK, Kim HK, Kang E-Y. Experimental pulmonary fat embolism: computed tomography and pathologic findings of the sequential changes. *J Korean Med Sci* 2008;23:691-9.