

DAFTAR PUSTAKA

- Al Quran dan Terjemahnya (2007). Departemen Agama Republik Indonesia. Jakarta.
- As-Synqithy (2012). Hukum Bedah Medis Menurut Islam. Jakarta : Aslam Media, hal 84-95.67-9.
- Barth KS, Rydin-Gray S, Kose S, Borckardt JJ, O'Neil PM, Shaw D, Madan A, Budak A dan George MS (2011). Food cravings and the effects of left prefrontal repetitive transcranial magnetic stimulation using an improved sham condition. Frontiers in psychiatry, 2.
- Claudino AM, Van den Eynde F, Stahl D, Dew T, Andiappan M, Kalthoff J, Schmidt U dan Campbell IC (2011). Repetitive transcranial magnetic stimulation reduces cortisol concentrations in bulimic disorders. Psychological medicine, 41(6), hal. 1329-1336.
- Davison GC (2004). Eating Disorders. In : Abnormal Psychology. 9th Edition. England: John Willey & Sons Ltd: Chapter 9.
- Downar J, Sankar A, Giacobbe P, Woodside B dan Colton P (2012). Unanticipated rapid remission of refractory bulimia nervosa, during high-dose repetitive transcranial magnetic stimulation of the dorsomedial prefrontal cortex: a case report. Frontiers in psychiatry, 3(30):1-5.
- Dunlop K, Woodside B, Lam E, Olmsted M, Colton P, Giacobbe P dan Downar J (2015). Increases in frontostriatal connectivity are associated with response to dorsomedial repetitive transcranial magnetic stimulation in refractory binge/purge behaviors. NeuroImage: Clinical, 8(12):611-618.
- Dunlop KA, Woodside B dan Downar J (2016). Targeting neural endophenotypes of eating disorders with non-invasive brain stimulation. Frontiers in neuroscience, 10.
- Fahmi M (2011). Penulis As-Sa'di dalam : Al-Mumti' Fi al-Qawa'id al-Fiqhiyyah, Riyadh Saudi Arabia: Dar Zidnie, Cetakan Pertama, hal.141.
- Gay A, Jaussent I, Sigaud T, Billard S, Attal J, Seneque M, Galusca B, Van Den Eynde F, Massoubre C, Courtet P dan Guillaume S (2016). A Lack of Clinical Effect of High-frequency rTMS to Dorsolateral Prefrontal Cortex on Bulimic Symptoms: A Randomised, Double-blind Trial. European Eating Disorders Review, 24(6), hal. 474-481.

- Grall-Bronnec M dan Sauvaget A (2014). The use of repetitive transcranial magnetic stimulation for modulating craving and addictive behaviours: a critical literature review of efficacy, technical and methodological considerations. Neuroscience & Biobehavioral Reviews, 47, hal. 592-613.
- Hawari D (2008). Integrasi Agama dalam Pelayanan Medik. Jakarta : FKUI.
- Hendrik (2006). Menjaga kesehatan sejak dini : tinjauan syariat islam dan medis. Cetakan ke-1. Solo : Tiga Serangkai, hal 96-104, 221-226.
- Kaplan HI, Sadock BJ dan Grabb JA (2010). Bulimia Nervosa. Dalam : Kaplan & Sadock's Sinopsis Psikiatri. Jakarta : Penerbit Binarupa Aksara, hal. 187-93, 685-8.
- Kusumah I (2007). Panduan Diet Ala Rasulullah. Jakarta : Qultum Media, hal.45-47.
- Lefaucheur JP, André-Obadia N, Antal A, Ayache SS, Baeken C, Benninger DH, Cantello RM, Cincotta M, de Carvalho M, De Ridder D dan Devanne H (2014). Evidence-based guidelines on the therapeutic use of repetitive transcranial magnetic stimulation (rTMS). Clinical Neurophysiology, 125(11), hal. 2150-2206.
- Maslim R (2001). Buku Saku Diagnosis Gangguan Jiwa Rujukan Ringkas PPDGJ-III. Jakarta: Bagian Ilmu Kedokteran Jiwa FK Unika Atma Jaya. Hal 91.
- Maslim R (2014). Panduan Praktis Penggunaan Klinis Obat Psikotropik (Psychotropic Medication). Jakarta: Bagian Ilmu Kedokteran Jiwa FK Unika Atma Jaya. Hal 30.
- Mehler PS dan Rylander M (2015). Bulimia Nervosa-Medical Complications. Journal of Eating Disorders.
- Mond JM (2013). Classification of Bulimic-type Eating Disorders: from DSM-IV to DSM-5. Mond Journal of Eating Disorders.
- Muhadi dan Muadzid (2009). Semua Penyakit ada Obatnya : Menyembuhkan Penyakit ala Rasulullah. Jagakarsa : Mutiara Media.
- Pradipta EA, et al (2014). Kapita Selekta Kedokteran. Edisi ke-4. Jakarta : Penerbit Media Aesculapius, hal. 918-920.
- Purwanti (2008). Terapi Untuk Bulimia Nervosa. Tersedia di alamat website : <http://www.micom@mediaindonesia.com>. (Diunduh pada 23 Juli 2017).

- Rushing JM, et al (2013). Bulimia Nervosa: A Primary Care Review. Primary Care Companion J Clin Psychiatry, 5(23):217-224.
- Sidenfeld M dan Ricket K (2011). Impact of Anorexia, bulimia and obesity on the gynecologic of adolescent. Mount sinai adolescent health. New York.
- Sutoh C, Koga Y, Kimura H, Kanahara N, Numata N, Hirano Y, Matsuzawa D, Iyo M, Nakazato M dan Shimizu E (2016). Repetitive Transcranial Magnetic Stimulation Changes Cerebral Oxygenation on the Left Dorsolateral Prefrontal Cortex in Bulimia Nervosa: A Near-Infrared Spectroscopy Pilot Study. European Eating Disorders Review, 24(1), pp.83-88.
- Tasman A, Kay J, et al (2015). Feeding and Eating Disorders. In : Psychiatry. Fourth Edition. Volume I. England : John Willey & Sons Ltd: Chapter 64. Pages 1242.
- Van den Eynde F, Claudino AM, Mogg A, Horrell L, Stahl D, Ribeiro W, Uher R, Campbell I dan Schmidt U (2010). Repetitive transcranial magnetic stimulation reduces cue-induced food craving in bulimic disorders. Biological psychiatry, 67(8), pp.793-795.
- Walpoth M, Hoertnagl C, Mangweth-Matzek B, Kemmler G, Hinterhölzl J, Conca A dan Hausmann A (2008). Repetitive transcranial magnetic stimulation in bulimia nervosa: preliminary results of a single-centre, randomised, double-blind, sham-controlled trial in female outpatients. Psychotherapy and psychosomatics, 77(1), hal. 57-60.
- Wildes JE, Marcus MD, et al (2010). The Treatment of Eating Disorders A clinical Handbook. Editor Grilo MC, Mitchell JE. The Guilford Press New York : 10(2): 66-71
- Yager J (2016). Bulimia Nervosa. Available from <http://emedicine.medscape.com/article/286485-overview#showall> (Diakses tanggal 24 Juli 2017).
- Zuhroni (2010). Hukum Islam Terhadap Berbagai Masalah Kedokteran dan Kesehatan Kontemporer. Jakarta: Bagian Agama Universitas YARSI.