

DAFTAR PUSTAKA

- Al-Qur'an dan Terjemahannya (2007). Departemen Agama Republik Indonesia. Jakarta.
- Adams, R.H., (2001). *Veterinary Pharmacology and Therapeutics*, 8nd edition. IOWA State University Press Ames.
- Ali, A. (2012). *Berobat dalam Islam*. <https://maktabahabiyahya.wordpress.com/2012/05/30/berobat-dalam-islam>. Diakses 8 November 2017.
- Archer, M.C., (1992). Chemical Carcinogenesis, dalam Tannock J.F., Hill R.P., (Eds.), *The Basic Science of Oncology*, 2nd Ed. New York. Mc Graw-Hill. hal.17-102.
- Arif, M. (2008). Buku Ajar: *Asuhan Keperawatan Klien dengan Gangguan Sistem Persarafan*. Salemba Medika.
- Bell, R.F., Eccleston, C., Kalso, E.A., (2012). *Ketamine as an adjuvant to opioids for cancer pain*. Cochrane Database Syst Rev. 11:CD003351.
- Brunner, dan Suddarth, (2001). *Keperawatan Medikal Bedah Edisi 8 Volume 2*. Jakarta: EGC.
- Carmen, M.V., dan Navarro, S., (2010). *New Approaches in the Treatment of Cancer*. New York. Nova Science Pub Inc. hal.5-7.
- Carver, A.C., Foley, K.M., (2008). Complications of Cancer and Its Treatment. In: *Cancer Medicine*. 6th ed. Decker, BC: American Pain Society; 2204-24.
- Chaudhary, W.A., Kennett, J., Bano, I., William. (2012). Ketamine as an Adjuvant to Opioids for Cancer Pain Management. *Anesthesia Pain & Intensive Care*. 16:174–178.
- Cherney, A.H., Nathan, L., Current. (2003). *Obstetric & Gynecologic Diagnosis & Treatment*. 9th ed. New York: Mc Graw Hill. 106-107, 644, 856.
- Chung, W.J., Pharo, G.H., (2007). Successful use of ketamine infusion in the treatment of intractable cancer pain in an outpatient. *Journal Pain Symptom Manage*. 33:2–5.
- Djoerban, Z., Abdul, muthalib, & Rosdiana, N., (2006). *Penatalaksanaan Nyeri Kanker*, Medical Progress, 33(10), 517-512.
- Fahmi, M., (2011). Penulis As-Sa'di dalam: *Al-Mumti' Fi Al-Qawa'id Al-Fiqhiyyah, Riyadh Saudi Arabia: Dar Zidnie, Cetakan Pertama*, hal. 141.

- Fine, P.G., (1999). Low-dose ketamine in the management of opioids nonresponsive terminal cancer pain. *Journal Pain Symptom Manage.*17:296-300.
- Foley, K.M., (2011). The Treatment of Pain in the Patient with Cancer, CA: *A Cancer Journal for Clinicians.* 36, 194-215.
- Ganong, W.F., (2002). *Fisiologi Kedokteran. Edisi 20.* (Widjajakusumah, M. D., penerjemah). Jakarta: EGC.
- Gunawan, Sulistia, G., (2007). *Farmakologi dan Terapi Edisi 5.* Universitas Indonesia, Jakarta, hal. 375-376, 383.
- Gunita, M., Zeiadin, N., Kirou-Mauro, A., De, Angelis, C., Wong, J., Sanjeevan, T., Sinclair, E., Danjoux, C., Barnes, E., Tsao, M., Sahgal, A. & Chow, E. (2010). Retrospective Assessment of Cancer Pain Management in an Outpatient Palliative Radiotherapy Clinic Using the Pain Management Index. *Journal Pain Symptom Manage*, 39(2), 259 – 267.
- Guswita. (2007). *Evaluasi Penggunaan Analgesik Opioid Pada Penanganan Nyeri Kanker Pasien Rawat Inap di Rumah Sakit Kanker Dharmais Jakarta.* Fakultas Farmasi Universitas Gadjah Mada Yogyakarta.
- Guyton, A. C., (1997). *Fisiologi Kedokteran. Edisi 9. Alih Bahasa Setiawan, I.,* Jakarta: EGC.
- Hardy, J., Quinn, S., Fazekas, B., Plummer, J., Eckermann, S., Agar, M., (2012). Randomized, double-blind, placebo-controlled study to assess the efficacy and toxicity of subcutaneous ketamine in the management of cancer pain. *J Clin Oncol.* 30:3611–3617.
- Hawari, D. (2008). *Integrasi Agama dalam Pelayanan Medik.* Jakarta: FKUI
- Ikawati, Z. (2011). *Farmakologi Penyakit Sistem Saraf Pusat.* Bursa Ilmu, Yogyakarta. Hal. 21-38, 40.
- Ikhsan, Muhamad., (2015). *Konsep Sehat dan Sakit Menurut Islam.* [https://www.Linkedin.com/pulse/konsep-sehat-dan-sakit-menurut-islammuhamad ikhsan?trk=pulse-det-nav_art](https://www.Linkedin.com/pulse/konsep-sehat-dan-sakit-menurut-islammuhamad%20ikhsan?trk=pulse-det-nav_art). Diakses tanggal 22 November 2017.
- Jauziyyah, I.Q. (1992). *Pedoman Berobat Di Dalam Sistem Kedokteran Nabi, Kesehatan dan Pengobatan Menurut Petunjuk Nabi Muhammad SAW.* Semarang: Dina Utama Semarang (DIMAS): PT Karya Toha Putra.
- Katzung, Bertram, G., (2004). *Farmakologi Dasar dan Klinik. Edisi XIII. Buku 3.* Fakultas kedokteran Universitas Airlangga. Jakarta: Salemba Medika.

- Katzung, Bertram, G. (2010). *Farmakologi Dasar dan Klinik*. Jakarta : EGC
- Kirsten, A., Stephan, A., Schug, (2013). Pain management for the cancer patient – Current practice and future Development. *Best Practice & Research Clinical Anaesthesiology*. 27(4), 545–561.
- Kotlicska-Lemieszek, A., Luczak, J., (2004). Subanesthetic ketamine: an essential adjuvant for intractable cancer pain. *J Pain Symptom Manage*. 28:100–102.
- Kumar, V., Robbins, S., dan Cotrain, R., (2002). *Dasar Patologi Penyakit. Edisi 5, Diterjemahkan oleh Tjarta, A. et al., eds*. Jakarta: EGC.
- Kurdi, M.S., Theerth, K.A., Deva, R.S., (2014). Ketamine: Current applications in anesthesia, pain, and critical care. *Anesth Essays Res*. 8(3):283–290.
- Lauretti, G., Lima, I., Reis, M., Prado, W., Pereira, N., (1999). Oral ketamine and transdermal nitroglycerin as analgesic adjuvants to oral morphine therapy for cancer pain management. *Anesthesiology*. 90(6):1528–1533.
- Leksana. (2004). *Cairan Tubuh. Terapi Cairan dan Elektrolit*, Semarang.
- Lunn, John, N., Chandrata, L., Suyono, J., (2004). *Catatan Kuliah Anestesi*. Jakarta: EGC. 56-7.
- Manfred, S., (2009). *Encyclopedia of Cancer, 2nd Ed*. Springer, Berlin Heidelberg.
- Marcus, D.A., (2009). *Chronic Pain A Primary Care Guide to Practical Management, 2nd Ed., 231-234*. Humana Press, New York.
- Mercadante, S., Arcuri, E., Ferrera, P., Villari, P., Mangione, S., (2005). Alternative treatments of breakthrough pain in patients receiving spinal analgesics for cancer pain. *J Pain Symptom Manage*. 30(5): 485–491.
- Metrohealthanesthesia, (2009). *Ketamine*. Diunduh dari: <http://www.metrohealthanesthesia.com>. Diakses tanggal: 5 November 2017.
- Mianoki, Adika, (2012). *Asy Syaafii, Zat yang Maha Menyembuhkan*. <https://muslim.or.id/8489-asy-syaafii-zat-yang-maha-menyembuhkan.html>. Diakses pada tanggal 13 November 2017.
- Michael, J., Hocking, dan Graham, M.B., (2003). Ketamine in Chronic Pain Management: An Evidence-Based Review. *Anesthesia and Analgesia*. 97 (6), 1730-1739. International Anesthesia Research Society.
- Morgan, G.E., Mikhail, M.S., Murray, M.J. (2013). Chronic Pain Management. In : *Clinical Anesthesiology, 5th ed*. Lange Medical Books/McGraw-Hill, 2013, p. 1023-85.

- Morgan, G.E., Mikhail, M.S. dan Murray, M.J., (2006). Obstretic Anasthesia in *Clinical Anesthesiology*, 4th Ed., 705-725. Appleton & Lange Stamford, Connecticut.
- Olimpia, A.Z., Irimie, A., Dorel, S., Catalin, V., Cosmin, L., Alexandru, L., dan Patriciu, A.D., (2015). *The Role of Ketamine in The Treatment of Chronic Cancer Pain*. 88(4): 457–461. Clujul Medical.
- Oosterman, J.M., Van, Harten, B., Weinstein, H.C., Scherder, E.J.A., (2006). Pain intensity and pain affect in relation to white matter changes, *International Association for the Study of Pain*. Elsevier.
- Padzdur, R., Coia, R., Lawrence, Hoskins, J., William, Wagman, D. dan Lawrence, (2001). *Cancer Management A Multi Disciplinary Approach*, 5th Ed. 715-725, UBM Medica. New York.
- Pasero, C., McCaffery M, Herr K., (2011). *Assessment In Pasero C, McCaffery M, editors: Pain Assessment and Pharmacologic Management pp. 13-176*. St Louis: Mosby Elsevier.
- Potter, P.A., Perry, A.G., (2005). *Buku Ajar Fundamental Keperawatan : Konsep, Proses, Dan Praktik, Edisi 4. Volume 1. Alih Bahasa: Yasmin Asih, dkk*. Jakarta : EGC.
- Rabben, T., (2009). Interindividual differences in the analgesic response to ketamine in chronic orofacial pain. *Eur J Pain* 5:233-40.
- Rasjidi, I., Irwanto, Y., Sulistyanto, H., (2008). *Modalitas Deteksi Dini Kanker Serviks*. In: Rasjidi, I., ed. *Manual Prakanker Serviks*. Jakarta: Sagung Seto, 45-48.
- Ripamonti, C.I., Santini, D., Maranzano, E., Berti M. & Roila F. (2012). Management of cancer pain: *ESMO clinical practice guidelines, Ann. Oncology*. 23, 139–154.
- Sadlan., Ghanim, S. 2000. *Bahaya Narkoba Mengancam Umat*. Cetakan Pertama. Jakarta: Darul HaQ. Hal 4-37.
- Salas, S., Frasca, M., Planchet-Barraud, B., Burucoa, B., Pascal, M., Lapiana, J.M., (2012). Ketamine analgesic effect by continuous intravenous infusion in refractory cancer pain: considerations about the clinical research in palliative care. *J Palliat Med*. 15(3):287–293.
- Schenk, M., Urnauer, H., Schug, S.A., Jaehnichen, G., dan Harper, S.J., (2008). Cancer Pain. *Pocket Guide Pain Management*, 67-79, Springer, Berlin Heidelberg.
- Schmitz, Gery. (2008). *Farmakologi dan Toksikologi*. Jakarta : EGC. 163-5.

- Schwartzman, R.J., Alexander, G.M., Grothusen, J.R., Paylor, T., Reichenberger, E., Perreault, M., (2009). Outpatient intravenous ketamine for the treatment of complex regional pain syndrome: a double-blind placebo controlled study. *Pain*. 147:107–115.
- Sheehy, K.A., Muller, E.A., Lippold, C., Nouraie, M., Finkel, J.C., dan Quezado, Z.M.N. (2015). Subanesthetic ketamine infusions for the treatment of children and adolescents with chronic pain: a longitudinal study. *BMC Pediatric*. 15:18.
- Sheehy, K.A., Rice, A.L., Lippold, C., Nobrega, R., Finkel, J.C., dan Quezado, Z.M.N. (2017). Subanesthetic ketamine for pain management in hospitalized children, adolescents, and young adults: a single-center cohort study. *Journal of Pain Research*.
- Slatkin, N., (2006). Cancer-related Pain its Pharmacologic Management in Patient with bone metastasis. *J. Support Incel.*, 4(1), 15-21.
- Stoelting, R.K., (1999). *Pharmacology and Physiology in anesthetic practice*. 3rd Ed. 302-11 Lippincot-Raven, Philadelphia, New York.
- Stoelting, R.K., dan Hillier, S.C., (2006). *Pharmacology & Physiology in Anesthetic Practice*, 4th Ed., Mc Graw-Hill, New York.
- Suryono, B., (2003). *Mekanisme Nyeri Pasca Bedah. dalam Terapi Nyeri Secara Berkala, Makalah Pertemuan Ilmiah Berkala I Indonesia Pain Society Chapter of IASP*, 73-82.
- Suwiyoga, K., (2007). *Kanker Serviks: Penyakit Keganasan Fatal yang dapat di Cegah. Majalah Obstetri dan Ginekologi Indonesia*. Volume 31. Nomor 1.
- Thomas, J.S., & Catherine, B.S., (2015). Cancer Pain Management, *Mayo Clinic Proceedings*. 90 (10), 1428–1439.
- Tjay, T.H., dan Kirana Rahardja. (2007). *Obat-obat Penting (Khasiat, Penggunaan dan Efek Sampingnya)*. Jakarta : PT Elex Media Komputindo. 404-5.
- Ventafridda, V., Caraceni, A., Saita, L., Bonezzi, C., De, Conno, F., Guarise, G., Ramella, G., Silvani, V., Tamburini, M. dan Toscani F., (1988). *Trazodone for deafferentation pain Comparison with amitriptyline*, *Psychopharmacology*, 95, 44-49.
- Walsh. (1997). Demam dan Berkeringat. *Kapita Selektta Penyakit dan Terapi, diterjemahkan Oleh Caroline Wijaya*. Jakarta: EGC. hal.195.
- Weingart, S.N., Cleary, A., Stuver, S.O., Lynch, M., Brandoff, D., Schaefer, K.G., Zhu, J., Berry, D.L., Block, S. & Weeks, J.C., (2012). Assessing the Quality

of Pain Care in Ambulatory Patients With Advanced Stage Cancer, *J. Pain Symptom Manage.*, 43(6), 1072-1081.

Zuhroni. (2010). *Pandangan Islam Terhadap Masalah Kedokteran dan Kesehatan*. Jakarta: Bagian Agama Islam UPT MKU dan Bahasa Universitas YARSI.

Zuhroni. (2012). *Hukum Islam Terhadap Berbagai Masalah Kedokteran dan Kesehatan Kontemporer*. Jakarta : Bagian Agama Universitas Yarsi.

Zuhroni, Riani, N., dan Nazaruddin, (2003). *Islam untuk Disiplin Ilmu Kesehatan & Kedokteran, jilid 2*. Departemen Agama Republik Indonesia, Jakarta. hal.119-124

Zulmaizarna. (2009). *Akhlaq Mulia Bagi Para Pemimpin*. Bandung: Pustaka Al-fikri.