

DAFTAR PUSTAKA

- 1 Bhalaji SI. Orthodontics – The Art and Science. 3rd ed. New Delhi: Arya (MEDI) Publishing House; 2004.p.1, 59-78.
- 2 Singh Gurkeerat. Textbook of Orthodontics. 3rd ed. New Delhi: Jaypee Brothers Medical Publishers; 2015.p.49-51.
- 3 World Health Organization. Standardization of reporting of dental diseases and conditions No. 242. Geneva: Technical report series. 1962.
- 4 Proffit WR, Henry WF, David MS. Contemporary Orthodontics. 5th ed. Missouri: Elsevier; 2007.p.72-6.
- 5 Laguhi, Anindita, Gunawan. Gambaran maloklusi dengan menggunakan HMAR pada pasien di Rumah Sakit Gigi dan Mulut Universitas Sam Ratulangi Manado. Jurnal e-GiGi. 2014;2(2):1-7.
- 6 Wijanarko AG. Prevalensi maloklusi pada remaja usia 12-14 tahun pada Sekolah Menengah Pertama di Jakarta. Tesis. Jakarta: FKG UI; 1999.p.25-7.
- 7 Borzabadi A, Farahani, Naretto S. An overview of selected orthodontic treatment need indices. Principles in contemporary orthodontics. 2011;12(2):132-42.
- 8 British Orthodontic Society. What is IOTN? (Serial online). www.bos.org.uk/Public-Patients/Orthodontics-For-Children-Teens/Fact-File-FAQ/What-Is-The-IOTN. 2013. Dikutip 16 Februari 2015.
- 9 Hagg U, McGrath C, Zhang M. Quality of life and orthodontic treatment need related to occlusal indices. Dental Bulletin. 2007;10(12):8-12.
- 10 Bell AR. “Age-Appropriate” Pediatric Orthodontics. Charleston: Depaetement of Pediatric Dentistry/Orthodontics Medical University of South Carolina. 2013.
- 11 Sarwono SW, Meinarno EA. Psikologi Sosial. Jakarta: Salemba Humanika. 2009.p.112-3
- 12 Reddy Sreedhar, John J, Sarvanan S, Arumugham IM. Normative and perceived orthodontic needs among 12 year old school children in Chennai, India – A comparative study. Peer-reviewed & Open access journal. 2010;3 (4):72-9.
- 13 Foster TD dkk. Buku ajar ortodonti (A textbook of orthodontics). 3rd ed. Jakarta: EGC Penerbit Buku Kedokteran; 1999.p.32-135, 29-166.
- 14 Gunarsa SD. Psikologi Remaja. Jakarta: BPK Gunung Mulia. 1988.
- 15 Hassan Rozita. Orthodontic Treatment Need and Demand among 12- and 16 Year- Old School Children in Malaysia. Oral Health and Dental Management- Open Access. 2013;4(12):1-4.
- 16 Wilar LA, Rattu AJ, Mariati NW. Kebutuhan Perawatan Ortodonti Berdasarkan *Index of Orthodontic Treatment Need* pada Siswa SMP Negeri 1 Tareran. Jurnal e-Gigi (eG). 2014;2(2).1-8.

- 17 Hansu C, Anindita PS, Mariati NW. Kebutuhan Perawatan Ortodonti Berdasarkan *Index of Orthodontic Treatment Need* di SMP Katolik THEODORUS Kotamobagu. Jurnal e-GiGi (eG). 2013;2(1):99-104.
- 18 Ngom PI. Orthodontic Treatment Need and Demand in Senegalese School Children Aged 12-13 Years. Angle Orthodontist. 2007;2(77):323-31.
- 19 Singh G. Textbook of Orthodontics. 2nd ed. New Delhi: Jitendra; 2007.p.3-13.
- 20 NHS Dental Referrals Organization. The Dental Health Component of The Index Of Orthodontic Treatment Need (IOTN) and IOTN: Aesthetic Component. lymm: Dental Referrals. 2012.
- 21 Lerner RM, Almerigi JB, Theokas C, Lerner JV. Positive youth development: A view of issues. Journal of Early Adolescence. 2005;25(1):10-6.
- 22 Kiyak HA. Cultural and psychologic influences on treatment demand. *Semin Orthod.* 2000;6(1):242-8.
- 23 Philips C. Self-concept and the perception of facial appearance in children and adolescents seeking orthodontic treatment. *Angle Orthod.* 2009;79:12-6.
- 24 Albino JEN. Factors influencing adolescent cooperation in orthodontic treatment. *Semin Orthod.* 2000;187-9.
- 25 Stanrock JW. *Life-Span Development*. 7th ed. Boston: McGraw-Hill. 1999.
- 26 Raizal J. Peran komponen penyuluhan pada penderita maloklusi untuk perawatan ortodonti di poliklinik gigi FKG UI. Tesis PPDGS Ortodonti FKG UI. 1985.
- 27 William NJ, Whittle JG, Gatrell AC. The relationship between socio-demographic characteristics and dental health knowledge and attitudes of parents with young children. Br Dent J. 2002;193(1):651-54.
- 28 Brown DF, Moerenhout RG. The pain experience and psychological adjustment to orthodontic treatment of preadolescents, adolescents and adult. AM J Orthodentofac Orthop. 1991;100(1):349-56.
- 29 Rivera MS, Hutch PJ, Rugh JD. Psychosocial factor associated with orthodontic and orthognathic surgical treatment. Semin orthod. 2000;6:259-69.
- 30 Maj G, Squarzoni GAT, Belletti MF. Psychologic appraisal of children facing orthodontic treatment. AM J Orthod. 1967;53(1):849-57.
- 31 Kiyak HA. Cultural and psychologic influences on treatment demand. *Semin orthod.* 2000;6:242-8.
- 32 Southhard KA, Tolley EA. Application of the millon adolescent personality inventory in evaluating orthodontic compliance. AM J Orthod dentofacial Orthop. 1991;1(100):553-61.
- 33 Hoesin F. indicator kebutuhan perawatan ortodonti (IKPO) sebagai intrumen perencanaan pelayanan ortodontia. Indonesian J dent. 2007;1(14):236-42
- 34 Budihartono. Metodologi penelitian kesehatan dengan contoh bidang ilmu kesehatan gigi. Jakarta: Penerbit Buku Kedokteran. EGC. 2006.

- 35 Rumampuk MAV, Anindita PS dan Mintjelungan C. Kebutuhan Perawatan Ortodonti Berdasarkan *Index of Orthodontic Treatment Need* pada Siswa Kelas II di SMP Negeri 2 Bitung. Jurnal e-GiGi (eG). 2014;2(2).
- 36 Oley AB, Anindita PS, Leman MA. Kebutuhan Perawatan Ortodonti Berdasarkan *Index of Orthodontic Treatment Need* pada Usia Remaja 15-17 Tahun. Jurnal e-GiGi (eG). 2011.
- 37 Rahardjo. Orthodonti dasar. Surabaya: Airlangga University Pres; 2009.p.2-3.
- 38 Pakpahan EL, Hoesin F, Krisnawati. Kebutuhan perawatan ortodonti remaja SLTP usia 12-13 tahun di Jakarta Selatan. Jurnal Kedokteran Gigi. 2005;17(2):41-9.