

DAFTAR PUSTAKA

Al-Qur'an dan Terjemahnya. Departemen Agama RI. 2005. Indonesia. PT. Syamil Cipta Media.

Chowbay, B., Zhou, S. & Lee, E.J., (2005). An interethnic comparison of polymorphisms of the genes encoding drug-metabolizing enzymes and drug transporters: experience in Singapore. *Drug metabolism reviews*, 37(2), pp.327–378.

Deguchi, T., (1992). Sequences and expression of alleles of polymorphic arylamine N-acetyltransferase of human liver. *Journal of Biological Chemistry* 267.25: 18140-18147.

Di Pietro, G., Gadelha, S. R., Sousa, S. M. B., de Melo, P. R. S., & Santos, F. R. (2012). N-acetyltransferase 2: Slow, intermediate or fast? A booming question of the molecular epidemiology in cancer research.

El-Sayed, A., El-Shannat, S., Kamel, M., Castañeda-Vazquez, M. A., & Castañeda-Vazquez, H. (2015). Molecular Epidemiology of Mycobacterium bovis in Humans and Cattle. *Zoonoses and public health*.

Huang, Y. S., Chern, H. D., Su, W. J., Wu, J. C., *et al.* (2002). Polymorphism of the N-acetyltransferase 2 gene as a susceptibility risk factor for antituberculosis drug-induced hepatitis. *Hepatology*, 35(4), 883-889.

Kita, T., Tanigawara, Y., CHIKAZAWA, S., Hatanaka, H., Sakaeda, T., Komada, F., *et al.* (2001). N-Acetyltransferase2 genotype correlated with isoniazid acetylation in Japanese tuberculous patients. *Biological and Pharmaceutical Bulletin*, 24(5), 544-549.

Knudsen, B. E., Bergmark, L., Munk, P., Lukjancenko, O., Prieme, A., Aarestrup, F. M., & Pamp, S. J. (2016). Impact of Sample Type and DNA Isolation Procedure on Genomic Inference of Microbiome Composition. *Msystems*, 1(5), e00095-16.

Kubota, R., Ohno, M., Hasunuma, T., Iijima, H., & Azuma, J. (2007). Dose-escalation study of isoniazid in healthy volunteers with the rapid acetylator

genotype of arylamine N-acetyltransferase 2. *European journal of clinical pharmacology*, 63(10), 927-933.

Liu, C., Cui, W., Cong, L., Wang, L., Ruan, X., Jia, J., *et al.* (2015). Association Between NAT2 Polymorphisms and Lung Cancer Susceptibility. *Medicine*, 94(49), e1947.

Vuilleumier, N., Rossier, M. F., Chiappe, A., Degoumois, F., *et al.* (2006). CYP2E1 genotype and isoniazid-induced hepatotoxicity in patients treated for latent tuberculosis. *European journal of clinical pharmacology*, 62(6), 423-429.

Wolfe S. L., (1995). *Introduction to cell and molecular biology*. Wardworth Publishing Company, Belmont.

World Health Organization, (2015). *Global tuberculosis report 2015*. World Health Organization.

Yew, W.W. & Leung, C.C., (2006). Antituberculosis drugs and hepatotoxicity. *Respirology*, 11(6), pp.699–707.

Yuliwulandari, R., Sachrowardi, Q., Nishida, N., Takasu, M., Batubara, L., Susmiarsih, T. P., *et al.* (2008). Polymorphisms of promoter and coding regions of the arylamine N-acetyltransferase 2 (NAT2) gene in the Indonesian population: proposal for a new nomenclature. *Journal of human genetics*, 53(3), 201-209.

Yuliwulandari, R., Susilowati, R.W., Wicaksono, B.D., Viyati, K., Prayuni, K., Razari, I., Kristin, E., Diana, E.S., Setiawati, S., Ariyani, A. and Mahasirimongkol, S., (2016). NAT2 variants are associated with drug-induced liver injury caused by anti-tuberculosis drugs in Indonesian patients with tuberculosis. *Journal of human genetics*.

Zuhroni. 2010. *Pandangan Islam Terhadap Masalah Kedokteran dan Kesehatan*. Buku Dasar Pendidikan Agama Islam Pada Perguruan Tinggi Umum Jurusan/Program Studi Kedokteran dan Kesehatan. Jakarta: Departemen Agama RI Direktorat Jenderal Kelembagaan Agama Islam.