

DAFTAR PUSTAKA

- Arwani (2019) 'Keloid dan Parut Hipertrofik', *Spesialis Bedah Plastik Universitas Airlangga Surabaya*.
- Betarbet, U. and Blalock, T.W. (2020) 'Keloids: A Review of Etiology, Prevention, and Treatment', *Journal of Clinical and Aesthetic Dermatology*, 13(2), pp. 33–43.
- Bigliardi, P.L. *et al.* (2015) 'Activation of The δ -opioid Receptor Promotes Cutaneous Wound Healing by Affecting Keratinocyte Intercellular Adhesion and Migration', *British Journal of Pharmacology*, 172(2), pp. 501–514. Available at: <https://doi.org/10.1111/bph.12687>.
- Binic, I. (2015) *Keloids and Hypertrophic Scars*. Edited by E.H. of D. Tretament. Berlin: Springer-verlag Berlin Heidelberg.
- Boopathy, G.T.K. and Hong, W. (2019) 'Role of Hippo Pathway-YAP/TAZ Signaling in angiogenesis', *Frontiers in Cell and Developmental Biology*, 7, pp. 1–12. Available at: <https://doi.org/10.3389/fcell.2019.00049>.
- Cecarani, O. (2021) *Profil Keloid pada Pasien RSUP DR. M. Djamil Padang Tahun 2016-2020*. Padang: Universitas Andalas.
- Choirunanda, A.F. and Praharsini, I. (2019) 'Profil Gangguan Kualitas Hidup Akibat Keloid Pada Mahasiswa Fakultas Kedokteran Universitas Udayan Angkatan 2012-2014', *Jurnal Medika Udayan*, 8(8), pp. 1–5.
- Chowdhury, A.N. *et al.* (2017) 'A Customizable Chamber for Measuring Cell Migration', *Journal of Visualized Experiments*, (121), pp. 1–7. Available at: <https://doi.org/10.3791/55264>.
- Dihni, V.A. (2022) 'Tiongkok, Negara Pemberi Utang Terbesar di Dunia', *Katadata* [Preprint]. Available at:

<https://www.idntimes.com/business/economy/ridwan-aji-pitoko-1/tiongkok-negara-pemberi-utang-terbesar-di-dunia/3>.

Firakania, C. (2015) *Penghambatan Proliferasi Sel Mononukleus Darah Tepi (SMDT) Manusia oleh Avidin, Pascastimulasi Fitoheماغلوتينin (PHA) dan Interleukin-2 (IL-2) = Inhibition of Peripheral Blood Mononuclear Cell (PBMC) Proliferation by Avidin Pascastimulation of Phytohemagg*. Depok: Program Megister Ilmu Biomedik FKUI.

Ghanie, A. (2010) ‘Penatalaksanaan Keloid Lobulus Telinga Bilateral Rekuren pada Anak Usia 12 Tahun’, *Jurnal Kedokteran & Kesehatan Fakultas Kedokteran UNSRI*, 42(2), pp. 3058–3063.

Glinos, G.D. *et al.* (2017) ‘Optical Coherence Tomography for Assessment of Epithelialization in a Human Ex Vivo Wound Model’, *Wound Repair and Regeneration*, 25(6), pp. 1017–1026. Available at: <https://doi.org/10.1111/wrr.12600>.

Hadi, R.S. and Sandra, Y. (2020) ‘Pengaruh Glukosa Tinggi terhadap Proliferasi , Migrasi dan Ekspresi Gen OCT-4 pada Kultur Sel Dermal Fibroblast Manusia’, *Majalah Kesehatan PharmaMedika*, 12(1), pp. 32–38.

Hafeez, B. Bin *et al.* (2006) ‘Green tea polyphenols-induced apoptosis in human osteosarcoma SAOS-2 cells involves a caspase-dependent mechanism with downregulation of nuclear factor- κ B’, *Toxicology and Applied Pharmacology*, 216(1), pp. 11–19. Available at: <https://doi.org/10.1016/j.taap.2006.03.013>.

Haly, Q. *et al.* (2022) ‘Combination Treatment of Umbilical Cord-derived Mesenchymal Stem Cell (UC-MSC) and Umbilical Cord Mesenchymal Stem Cell-derived Conditioned Medium (UCMSC-CM) for Keloid Post Chronic Burn Injury: A Case Report’, *Malaysian Journal of Medicine and Health Sciences*, 18(1), pp. 353–355.

- Herlina and Wardani, R.A. (2019) 'Efektivitas Formulasi Teh Herbal Untuk Menurunkan Resiko Gangguan Penyakit Tidak Menular', *Jurnal Keperawatan*, 12(1), pp. 24–34.
- Huang, C. *et al.* (2013) 'Keloids and Hypertrophic Scars: Update and Future Directions', *Plastic and Reconstructive Surgery*, 1(4), pp. 1–7. Available at: <https://doi.org/10.1097/GOX.0b013e31829c4597>.
- Ishandono, D., Soebono, H. and Aryandono, T. (2015) *Pengembangan 5&I-Oleandrin Isolasi dari Daun Kembang Mentega (Nerium indicum Mill.) sebagai Obat Anti Keloid Kajian in vitro pada Sel Fibroblas Keloid*. Yogyakarta: Universitas Gadjah Mada.
- Khan, N. *et al.* (2006) 'Targeting Multiple Signaling Pathways by Green Tea Polyphenol (-)-Epigallocatechin-3-Gallate', *Cancer Research*, 66(5), pp. 2500–2505. Available at: <https://doi.org/10.1158/0008-5472.CAN-05-3636>.
- Khurshid, Z. *et al.* (2016) 'Green Tea (Camellia Sinensis): Chemistry and Oral Health', *The Open Dentistry Journal*, 10(1), pp. 166–173. Available at: <https://doi.org/10.2174/1874210601610010166>.
- Kurnia, P.A., Ardhiyanto, H. and Suhartini (2015) 'Potensi Ekstrak Teh Hijau (Camellia sinensis) terhadap Peningkatan Jumlah Sel Fibroblas Soket Pasca Pencabutan Gigi pada Tikus Wistar', *e-Jurnal Pustaka Kesehatan*, 3(1), pp. 122–127.
- Kusmiyati, M. *et al.* (2015) 'Aktivitas antioksidan, kadar fenol total, dan flavonoid total dalam teh hijau (Camellia sinensis (L.) O. Kuntze) asal tiga perkebunan Jawa Barat', *Jurnal Penelitian Teh dan Kina*, 18(2), pp. 101–106. Available at: <https://doi.org/10.22302/pptk.jur.jptk.v18i2.71>.
- Laut, M. *et al.* (2019) 'Efektivitas Pemberian Salep Ekstrak Etanol Daun Anting-anting (Acalypha indica Linn.) terhadap Kesembuhan Luka Insisi pada

- Mencit (*Mus musculus*)', *Jurnal Kajian Veteriner*, 7(1), pp. 1–11. Available at: <https://doi.org/10.35508/jkv.v7i1.01>.
- Liu, M. *et al.* (1998) 'Antioxidant action via p53-mediated apoptosis', *Cancer Research*, 58(8), pp. 1723–1729.
- Mahboub, F.A. and Khorshid, F.A. (2010) 'The Role of Green Tea Extract on the Proliferation of Human Ovarian Cancer Cells (in vitro) Study', *International Journal of Cancer Research*, 6(2), pp. 78–88.
- Mbuthia, K.S. *et al.* (2017) 'Tea (*Camellia sinensis*) infusions ameliorate cancer in 4TI metastatic breast cancer model', *BMC Complementary and Alternative Medicine*, 17(1), pp. 1–13. Available at: <https://doi.org/10.1186/s12906-017-1683-6>.
- Musdalifah (2016) *Penentuan Suhu dan Waktu Optimum Penyeduhan Daun Teh Hijau (Camelia Sinensis L.) P+3 terhadap Kandungan Antioksidan Kafein, Tanin dan Katekin*. Makassar: Universitas Islam Negeri Alauddin Makassar. Available at: <https://doi.org/10.22373/lj.v6i1.1984>.
- Noraida, L., Bintang, M. and Pontjo, B. (2019) 'Ekstrak dan Fraksi N-heksana Teh Hijau sebagai Antiproliferasi Sel Kanker Payudara MCM-B2 In Vitro', *Current Biochemistry*, 6((2)), pp. 95–105.
- Nugrahini, S. (2018) 'Peningkatan Aktivitas Sel Epitel pada Kasus Denture Stomatitis oleh Gel Epigallocatechin gallate 0,5%', *Interdental Jurnal Kedokteran Gigi (IJKG)*, 14(2), pp. 45–50. Available at: <https://doi.org/10.46862/interdental.v14i2.375>.
- Ojeh, N. *et al.* (2020) 'Keloids: Current and Emerging Therapies', *Scars, Burns & Healing*, 6, pp. 1–18. Available at: <https://doi.org/10.1177/2059513120940499>.
- Pavel, M. *et al.* (2018) 'Contact inhibition controls cell survival and proliferation

via YAP/TAZ-autophagy axis', *Nature Communications*, 9(1), pp. 1–18.
Available at: <https://doi.org/10.1038/s41467-018-05388-x>.

Prasetyo, W. (2015) *Manfaat Epigallocatechin gallate terhadap Kesehatan Jaringan Periodontal (Studi Pustaka)*. Jakarta: Fakultas Kedokteran Gigi Universitas Trisakti.

Pujihartatik, P.H. (2021) *Kajian Literatur Aktivitas Imunomodulator Daun Teh Hijau (Camellia sinensis L.)*. Semarang: Universitas Ngudi Waluyo.

Purnama, H., Sriwidodo and Ratnawulan, S. (2017) 'Review Sistematis: Proses Penyembuhan dan Perawatan Luka', *Farmaka*, 15(2), pp. 251–258.

Ramadhani, Y. *et al.* (2022) 'A Mucoadhesive Gingival Patch with Epigallocatechin-3-gallate Green Tea (*Camellia sinensis*) as an Alternative Adjunct Therapy for Periodontal Disease: A Narrative Review', *Dental Journal*, 55(2), pp. 114–119. Available at: <https://doi.org/10.20473/j.djmk.v55.i2.p114-119>.

Restuti, R.D. (2014) *Pengaruh deksametason terhadap proliferasi sel, kadar IL- α , dan TNF- α pada biakan kolesteatoma, Oto Rhino Laryngologica Indonesiana*. Available at: <https://doi.org/10.32637/orli.v44i1.78>.

Rice-Evans, C.A., Miller, N.J. and Paganga, G. (1996) 'Structure-antioxidant activity relationships of flavonoids and phenolic acids', *Free Radical Biology and Medicine*, 20(7), pp. 933–956. Available at: [https://doi.org/10.1016/0891-5849\(95\)02227-9](https://doi.org/10.1016/0891-5849(95)02227-9).

Sari, I.I. (2021) *Pengaruh Katekin Gambir (Uncaria gambir Roxburgh) terhadap Proliferasi dan Migrasi Sel Fibroblas Keloid*. Padang: Fakultas Kedokteran Universitas Andalas.

Sato, C. *et al.* (2018) 'Conditioned Medium Obtained from Amnion-Derived Mesenchymal Stem Cell Culture Prevents Activation of Keloid

Fibroblasts', *Plast Reconstr Surg*, 141(2), pp. 390–398. Available at: <https://doi.org/doi: 10.1097/PRS.0000000000004068>.

Sigma-Aldrich (2018) *TNF alpha Proteins*.

Singh, R., Akhtar, N. and Haqqi, T.M. (2010) 'Green Tea Polyphenol Epigallocatechin-3-gallate: Inflammation and Arthritis', *Life Sci*, 86(1), pp. 907–918. Available at: <https://doi.org/10.1016/j.lfs.2010.04.013.Green>.

Sinto, L. (2018) 'Scar Hipertrofik dan Keloid: Patofisiologi dan Penatalaksanaan', *Cermin Dunia Kedokteran*, 45(1), pp. 29–32.

Soenarto (2014) *Inflamasi. Dalam: Setiati, Seti. Ilmu Penyakit Dalam Edisi 6*. Jakarta: InternaPublishing.

Sopandi, S.S. (2022) 'Keloid', *Alomedika*.

Sudjatmiko, G. (2014) *Petunjuk Praktis Ilmu Bedah Plastik Rekonstruksi*. Jakarta: Yayasan Lingkar Studi Bedah Plastik.

Supit, I.A., Pangemanan, D.H.C. and Marunduh, S.R. (2015) 'Profil Tumor Necrosis Factor (TNF- α) berdasarkan Indeks Massa Tubuh (IMT) pada Mahasiswa Fakultas Kedokteran Unsrat Angkatan 2014', *Jurnal e-Biomedik*, 3(2), pp. 640–643. Available at: <https://doi.org/10.35790/ebm.3.2.2015.8621>.

Tabaga, K.D., Durry, M.F. and Kairupan, C. (2015) 'Efek Seduhan Teh Hijau (*Camellia Sinensis*) Terhadap Gambaran Histopatologi Payudara Mencit Yang Diinduksi Benzo(A)Pyrene', *Jurnal e-Biomedik*, 3(2), pp. 544–548. Available at: <https://doi.org/10.35790/ebm.3.2.2015.8138>.

Tao, K. *et al.* (2008) 'Imagable 4T1 model for the study of late stage breast cancer', *BMC Cancer*, 8, pp. 1–19. Available at: <https://doi.org/10.1186/1471-2407-8-228>.

- Tsai, C.-H. and Ogawa, R. (2019) 'Keloid Research: Current Status and Future Directions', *Scars, Burns & Healing*, 5, pp. 1–8. Available at: <https://doi.org/10.1177/2059513119868659>.
- Wolfram, D. *et al.* (2009) 'Hypertrophic Scars and Keloids--a Review of their Pathophysiology, Risk Factors, and Therapeutic Management', *Dermatol Surg*, 35(2), pp. 171–181. Available at: <https://doi.org/doi:10.1111/j.1524-4725.2008.34406.x>.
- Xuan, Y.H. *et al.* (2014) 'High-Glucose Inhibits Human Fibroblast Cell Migration in Wound Healing via Repression of bFGF-Regulating JNK Phosphorylation', *PLoS ONE*, 9(9), pp. 1–14. Available at: <https://doi.org/10.1371/journal.pone.0108182>.
- Zhu, Y.-Q. *et al.* (2022) 'Genome-wide Analysis of Chinese Keloid Patients Identifies Novel Causative Genes', *Annals of Translational Medicine*, 10(16), pp. 1–10. Available at: <https://doi.org/10.21037/atm-22-1303>.