

DAFTAR PUSTAKA

- American Heart Association, (2015). Heart disease and stroke-2014 update:
A report from American Heart Association. *Circulation*. 2014 January
21; 129(3), e28–e292. doi:10.1161/01.cir.0000441139.02102.80
- Arif Mansjoer, dkk. (2001) *Kapita Selekta Kedokteran* Jilid I Nefrologi dan
Hipertensi: Media Aesculapius FKUI. p: 519-520, Jakarta.
- Arjatmo, T.Hendra, U.(2001). *Ilmu Penyakit Dalam*: Balai Penerbit
FKUI,Jakarta
- Azam, Mahalul. (2005.) *Peravalensi Hipertensi Berdasarkan Berdasarkan
Riwayat Hipertensi Dalam Keluarga* : Erlangga, Jakarta
- Bell K, 2015. *Hypertension : the silent killer : update JNC-8 Guideline
recommendations*
- Departemen Agama RI. (2002). *Al Qur'an dan Terjemahannya* :Pustaka
Amani, Jakarta.
- Departemen kesehatan RI. *Profil kesehatan Indonesia 2006*: Depkes RI,
Jakarta
- Depkes. (2006). *Pharmaceutical Care Untuk Penyakit Hipertensi* :
Direktorat Bina Farmasi Komunitas dan Klinik Ditjen Bina
Kefarmasian dan Alat Kesehatan Departemen Kesehatan, Jakarta
- Gunawan, lany (2001), *Hipertensi Tekanana Darah Tinggi*:Kanisius, Jakarta
- Ganiswarna, S., (1995), *Farmakologi dan Terapi*, edisi IV, 271-288 dan
800-810, Bagian Farmakologi Fakultas Kedokteran Universitas
Indonesia, Jakarta
- Gunawan et all 2007. *Farmakologi dan Terapi* Edisi 5: Universitas
Indonesia.Jakarta
- Ichihara, A., Kaneshiro. Y., Takemitsu, T., Sakoda. M., Itoh H. 2006.
Benefits of candesartan on arterial and renal damage of non-
diabetic hypertensive patients treated with calcium channel
blockers. American Journal of Nephrology. Vol. 26 No. 5. Hal :
462-468*
- James, P.A et al 2014, Evidence-based Guidline For the management of
high blood pressure in Adults: Report from the Panel Member*

Appointed The Eighth Joint National Committee (JNC 8), JAMA 331 (5), 7-10

Kalra, S., Kalra, B., dan Agrawal, N., 2010. Combination therapy in hypertension: An update. *Diabetology & Metabolic Syndrome*, 2: 44.

Kementerian Kesehatan Republik Indonesia, (2014). Pusat Data dan Informasi Kementerian Kesehatan RI tentang Hipertensi. Jakarta

Paul DKK, 2017. *Guideline for the prevention, detection, evaluation and management of high blood pressure in adults*. High blood pressure clinical practice guideline

Mallat, S.G., 2012, What is A Preferred Angiotensin II Receptor Blocker-Based Combination Therapy for Blood Pressure Control in Hypertensive Patients with Diabetic and Non-diabetic Renal Impairment, Cardiovascular Diabetology, 11(32), 1.

Marliani, Lili. (2007). *100 Question And Answers: Hipertensi*: elex media komputindo. Farmakologi dan Terapeutik Fakultas Kedokteran Universitas Indonesia, Jakarta

Nefrialdi. (2007). *Antihipertensi. Farmakologi dan Terapi*, 341-360. Gaya Baru, Jakarta.

Nihon R, 2011; 69(11):2059-63 (ISSN: 0047-1852) Indication and advantage of combination therapy with angiotensin II receptor blocker (ARB) and calcium channel antagonist (CCB).

Sani. 2008. *Klasifikasi Penderita Hipertensi*. Hal. 26 – 28. Jakarta

Saseen, Joseph.J. and Carter, Barry.L. (2005). Hypertension, dalam *Pharmacotherapy Handbook*. Sixth edition. The Mc. Graw Hill Company. USA

Sustrani, Lanny, dkk. 2004. *Hipertensi*: PT. Gramedia Pustaka Utama. Jakarta

Sulistia Gan Gunawan (eds.) 2008. *Farmakologi dan Terapi*, 5th ed. FK Universitas Indonesia; p230-246, Jakarta

The Task Force for the management of arterial hypertension of the European Society of Hypertension (ESH) and of the European Society of Cardiology (ESC). 2013 ESH/ESC Guidelines for the management of arterial hypertension. *Jour of Hypertension* 2013, 31:1281-1357

- Tjay TH, Raharja K. (2007). *Obat-obat penting. Obat jantung.*: PT Elex Media Komputindo; Hlm. 585-606.jakarta
- Vijan S, Hayward RA. *Treatment of hypertension in type 2 diabetes mellitus*: blood pressure goals, choice of agents, and setting priorities in diabetes care. *Ann Intern Med.* 2003;138(7):593-602.
- Wells, B.G., Dipiro, J.T., Schwinghammer, T.L., Hamilton, C.W., 2000, *Pharmacotherapy Handbook*, 2th Ed, 94-114, Appleton and Lange, Stanford Connecticut