

DAFTAR PUSTAKA

- Aiba, S. *et al.* (2016) ‘Gambaran Nilai Hematologi Tikus Putih Betina Dara pada Pemberian Tombong Kelapa’, *Acta VETERINARIA Indonesiana*, 4(2), pp. 74–81. Available at: <https://doi.org/10.29244/avi.4.2.74-81>.
- Atiyeh, B.S., Chahine, F. and Ghanem, O.A. (2021) ‘Percutaneous Thread Lift Facial Rejuvenation: Literature Review and Evidence-Based Analysis’, *Aesthetic Plastic Surgery*, 45(4), pp. 1540–1550. Available at: <https://doi.org/10.1007/s00266-020-02095-1>.
- B, J. (2020) ‘Comparison of the Influence of New Generation Threads P(LA/ CL) HA And P(LA/CL) on Convalescence and Clinical Effects in Patients Undergoing Minimally Invasive Anti-Aging Treatments’, *Clinical Dermatology Open Access Journal*, 5(1). Available at: <https://doi.org/10.23880/cdoaj-16000204>.
- Balqis, U., Rasmaidar and Marwiyah (2014) ‘Gambaran Histopatologis Penyembuhan Luka Bakar Menggunakan Daun Kedondong (Spondias dulcis F.) dan Minyak Kelapa pada Tikus Putih (Rattus norvegicus)’, *Jurnal Medika Veterinaria*, 8(1), pp. 31–36.
- Cho, S.W. *et al.* (2021) ‘Efficacy study of the new polycaprolactone thread compared with other commercialized threads in a murine model’, *Journal of Cosmetic Dermatology*, 20(9), pp. 2743–2749. Available at: <https://doi.org/10.1111/jocd.13883>.
- Cobo, R. (2020) ‘Use of polydioxanone threads as an alternative in nonsurgical procedures in facial rejuvenation’, *Facial Plastic Surgery*, 36(4), pp. 447–452. Available at: <https://doi.org/10.1055/s-0040-1714266>.
- Courderot-Masuyer, C. *et al.* (2012) ‘Evaluation of the Behaviour of Wrinkles Fibroblasts and Normal Aged Fibroblasts in the Presence of Poly-L-Lactic Acid’, *Journal of Cosmetics, Dermatological Sciences and Applications*, 02(01), pp. 20–27. Available at: <https://doi.org/10.4236/jcdsa.2012.21006>.
- Dewi, I.G.A.S.M. (2013) ‘Sebagai Faktor Risiko Pada Karsinoma Serviks Terinfeksi Human Papilloma Virus Tipe 52’, pp. 1–151.
- Fatimatuzzahroh, F., Firani, N.K. and Kristianto, H. (2016) ‘Efektifitas Ekstrak Bunga Cengkeh (Syzygium aromaticum) terhadap Jumlah Pembuluh Darah Kapiler pada Proses Penyembuhan Luka Insisi Fase Proliferasi’, *Majalah Kesehatan FKUB*, 2(2), pp. 92–98. Available at: <https://majalahfk.ub.ac.id/index.php/mkfkub/article/view/57/54>.
- Goldberg, D. *et al.* (2013) ‘Single-arm study for the characterization of human

tissue response to injectable poly-L-lactic acid', *Dermatologic Surgery*, 39(6), pp. 915–922. Available at: <https://doi.org/10.1111/dsu.12164>.

Harlim, Ago. (2018) Inflamasi. Dalam: Buku Ajar Ilmu Kesehatan Kulit dan Kelamin

Imunologi Inflamasi. Jakarta: Balai penerbit FK UKI; pp. 5-10.

Jain, M. *et al.* (2014) 'Assessment of tissue eosinophilia as a prognosticator in oral epithelial dysplasia and oral squamous cell carcinoma - An image analysis study', *Pathology Research International*, 2014. Available at: <https://doi.org/10.1155/2014/507512>.

Johnson, B.Z. *et al.* (2020) 'The role of IL-6 in skin fibrosis and cutaneous wound healing', *Biomedicines*, 8(5), pp. 1–18. Available at: <https://doi.org/10.3390/BIOMEDICINES8050101>.

Kim, Y.K., Chen, E.Y. and Liu, W.F. (2016) 'Biomolecular strategies to modulate the macrophage response to implanted materials', *Journal of Materials Chemistry B*, 4(9), pp. 1600–1609. Available at: <https://doi.org/10.1039/c5tb01605c>.

Lacy, P., Rosenberg, H.F. and Walsh, G.M. (2014) 'Eosinophil overview: Structure, biological properties, and key functions', *Methods in Molecular Biology*, 1178, pp. 1–12. Available at: https://doi.org/10.1007/978-1-4939-1016-8_1.

Lukyanchenko, E. and Trainer, C. (2016) 'Evaluation of the effectiveness and safety of absorbable threads , made of polylactic acid in combination with caprolactone , in age-related changes of the skin', *Injection Methods in Cosmetology - Russian*, 4, pp. 30–33.

Marinho, A., Nunes, C. and Reis, S. (2021) 'Hyaluronic acid: A key ingredient in the therapy of inflammation', *Biomolecules*, 11(10), pp. 13–15. Available at: <https://doi.org/10.3390/biom11101518>.

Masrur, A. (2018) *Pengaruh pemberian kombinasi salep ekstrak kulit buah naga dan daging lidah buaya terhadap ekspresi IL-6 dan jumlah sel neutrogil pada proses kesembuhan luka insisi tikus putih*, Fakultas Kedokteran Hewan Universitas Brawijaya.

Nikishin, D., Sulamanidze, G. and Kajaia, A. (2019) 'Effectiveness of using Poly Lactide and Caprolactone Acid with Hyaluro- nic Acid Material', *Advances in Plastic & Reconstructive Surgery*, 3(2), pp. 274–284.

NIU, Z. *et al.* (2020) 'Complications Following Facial Thread-Lifting', *Chinese Journal of Plastic and Reconstructive Surgery*, 2(4), pp. 204–211. Available at: [https://doi.org/10.1016/s2096-6911\(21\)00039-x](https://doi.org/10.1016/s2096-6911(21)00039-x).

- Poleva Irina; Kajaia Albina (2016) ‘Observational Study’, *Single-Blind Comparative Study of the Aesthetic Outcome of Armouring Procedures with PLLA/PCL- and HA-Enriched Absorbable Threads*, 36(7), pp. 676–680. Available at: <https://doi.org/10.2199/jjsca.36.676>.
- Primadina, N., Basori, A. and Perdanakusuma, D.S. (2019) ‘Proses Penyembuhan Luka Ditinjau dari Aspek Mekanisme Seluler dan Molekuler’, *Qanun Medika - Medical Journal Faculty of Medicine Muhammadiyah Surabaya*, 3(1), p. 31. Available at: <https://doi.org/10.30651/jqm.v3i1.2198>.
- Ramadhani, D. *et al.* (2012) ‘Analisis Serta Stitching Citra Imunohistokimia Mib-1 Dengan Immunoratio Dan Perangkat Lunak Nish Element D 2.30’, *Lokakarya Komputasi dalam Sains dan Teknologi Nuklir*, 1(1), pp. 187–196.
- Ramot, Y. *et al.* (2015) ‘Long-term local and systemic safety of poly(l-lactide-co-epsilon-caprolactone) after subcutaneous and intra-articular implantation in rats’, *Toxicologic Pathology*, 43(8), pp. 1127–1140. Available at: <https://doi.org/10.1177/0192623315600275>.
- Setiawan, B. (2016) ‘Optimalisasi metode automatic slide stainer untuk pewarnaan jaringan menggunakan Haematoksilin-Eosin’, *Laporan*, p. 1.
- Sulamanidze, G.M. (2018) ‘The Subcutaneous Tissue Reaction on Poly (L-lactide-co-caprolactone) based Threads Case Report Sulamanidze GM*, Sulamanidze MA, Sulamanidze KM, Kajaia AA, Giorgadze SG Dermatologist * Corresponding author’, *International Journal of Clinical & Experimental Dermatology Int J Clin Expl Dermatol*, 3(2), pp. 1–9.
- Tanaka, T., Narazaki, M. and Kishimoto, T. (2014) ‘patterns (DAMPs), which are released from damaged or dying cells in noninfectious inflammations such as burn or trauma, directly or indirectly promote inflammation. During sterile surgical operations, an increase in serum IL66 levels precedes elevation of’, 6(Kishimoto 1989), pp. 1–16.
- Widyarini, S. and Paryuni, A.D. (2023) ‘Carrageenan-Induced Acute Inflammation on Back-Skin of Mice : Histopathological Features , Number of Inflammatory’, 13(4), pp. 520–530.
- Wong, V. (2017) ‘Hanging by a Thread: Choosing the Right Thread for the Right Patient’, *Journal of Dermatology & Cosmetology*, 1(4). Available at: <https://doi.org/10.15406/jdc.2017.01.00021>.
- Yoo, K.H. *et al.* (2015) ‘Chronic inflammatory reaction after thread lifting: Delayed unusual complication of nonabsorbable thread’, *Dermatologic Surgery*, 41(4), pp. 510–513. Available at: <https://doi.org/10.1097/DSS.0000000000000327>.