

## DAFTAR PUSTAKA

Agustie & Samsumaharto, 2013; Fouad et al., 2019

Al-Rifai A, Aqel A, Al-Warhi T, Wabaidur SM, Al-Othman ZA and Badjah-Hadj-Ahmed AY: Antibacterial, antioxidant activity of ethanolic plant extract of some *Convolvulus* Species and their DART-ToF-MS profiling. *Hindawi Evidence Based Complementary and Alternative Medicine* 2017; <https://doi.org/10.1155/2017/5694305>.

Aminah, Syarifah., Tezar, Ramdhan & Muflihani Yanis. 2015, Kandungan Nutrisi dan Sifat Fungsional Tanaman Kelor (*Moringa oleifera*) Artikel Ilmiah Hasil Penelitian dari Balai Pengkajian Teknologi Pertanian Jakarta, hal. 36.

Anggraeni, S., Setyaningrum, T. and Listiawan, M. Y. (2017) 'Perbedaan Kadar Malondialdehid (MDA) sebagai Petanda Stres Oksidatif pada Berbagai Derajat Akne Vulgaris', *Berkala Ilmu Kesehatan Kulit Dan Kelamin*, 29(1), pp. 1–8.

Anuj, Y. *et al.* (2016) 'Antioxidants and its functions in human body', *Research in Environment and Life Sciences*, 9(11), pp. 1328–1331.

Arkhaesi, N. (2008) Kadar Malondialdehyde (MDA) serum sebagai indikator prognosis keluaran pada sepsis neonatorum .

Bancroft, J.D., Gamble, M. 2002. *Theory and Practice of Histological Techniques*. Churchill Livingstone

Bauman L, Allemann IB. Antioxidants. In: Weisberg, E. editor. *Cosmetic Dermatology Principles and Practice*. 2<sup>nd</sup> ed. New York: Mc GrawHill; 2009. p. 292-311.

Brzezinski, A., 1997. Melatonin in Humans. *New England Journal of Medicine*, 336(3), pp.186–195.

Bubenik GA, Konturek SJ. Melatonin and aging: prospects for human treatment. *J Physiol Pharmacol*. 2011;62(1):13–19.

Chen L. The role of antioxidant in photoprotector: a critical review. *J Am Acad Dermatol*. 2012; 67(5): 1013-24.

Chen X, Chen J, Gan S, et al. DNA damage strength modulates a bimodal switch of p53 dynamics for cell-fate control. *BMC Biol*. 2013;11:73. <https://doi.org/10.1186/1741-7007-11-73>

- Chih-Hung Lee., Chien-Hui Hong., Hsin-Su Yu., Shi-Bei Wu., Yau-Huei Wei., 2013, Molecular Mechanisms of UV-Induced Apoptosis and Its Effects on Skin Residential Cells: The Implication in UV-Based Phototherapy, 17 oktober 2018, <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3634415/>.
- D’Orazio J, Jarret S, Ortiz AA, Scott T. UV radiation and the skin. *Int J Mol Sci.* 2013; 14(6):12222-48.
- Debnath, B.; Islam, W.; Li, M.; Sun, Y.; Lu, X.; Mitra, S.; Hussain, M.; Liu, S.; Qiu, D. Melatonin mediates enhancement of stress tolerance in plants. *Int. J. Mol. Sci.* **2019**, *20*, 1040. [[Google Scholar](#)] [[CrossRef](#)][[Green Version](#)]
- Dhakad, A.K.; Ikram, M.; Sharma, S.; Khan, S.; Pandey, V.V.; Singh, A. Biological, nutritional, and therapeutic significance of *Moringa oleifera Lam.* *Phytotherapy Res.* **2019**, *33*, 2870–2903
- Dhanalakshmi,S., Mallikarjuna,G.U., Singh,R.P. and Agarwal,R. (2004) Silibinin prevents ultraviolet radiation-caused skin damages in SKH-1 hairless mice via a decrease in thymine dimer positive cells and an up- regulation of p53-p21/Cip1 in epidermis. *Carcinogenesis*, *25*, 1459-1465.
- Feng XX, Yu XT, Li WJ, Kong SZ, Liu YH, Zhang X, et al. Effects of topical application of patchouli alcohol on the UV-induced skin photoaging in mice. *Eur J Pharm Sci.* 2014; 63(15):113-23
- Fisher GJ, Kang S., Varani J, Bata-Csorgo Z, Wan Y, Datta S, Voorhees JJ. Mechanisms of photoaging and chronological skin aging. *Arch Dermatology.* 2002;138:1462-70.
- Fowler B. Functional and biological markers of ag- ing. In: Klatz R. *Anti-Aging Medical Therapeutics.* 2003; Chicago: the A4M Publications; 43-54
- Gaddameedhi S., Selby C.P., Kemp M.G., Ye R., Sancar A., 2015, , The circadian clock controls sunburn apoptosis and erythema in mouse skin, *J Invest Dermatol.* 135(4): 1119–1127.
- Gilchrest BA. *Photodamage.* Oxford: Blackwell Sci- ence Inc; 1995.
- Gladyshev, V. N. (2013) ‘The Free Radical Theory of Aging Is Dead. Long Live the Damage Theory!’, *Antioxidants & Redox Signaling*, 20(4), pp. 727–731.
- Gopalakrishnan L, Doriya K, and Kumar DS: *Moringa oleifera: A review on nutritive importance and its medicinal application.* *Food Science and Human Wellness* 2016; 5(2): 49-56.

- Hardeland R, Tan DX, Reiter RJ. Kynuramines, metabolites of melatonin and other indoles: the resurrection of an almost forgotten class of biogenic amines. *J Pineal Res.* 2009;47(2):109–126. <https://doi.org/10.1111/j.1600-079X.2009.00701.x>.
- Hattori, H. Migitaka, I. Masayaki, M. Itoh, M. Yamamoto, R. Ohtani-Kaneko, M. Hara, I. Suzuki, R.J. Reiter, Identification of melatonin in plants and its effects on plasma melatonin levels and binding to melatonin receptors in vertebrates, *Biochem. Mol. Bioi. Intl.* 35,627-634 (1995)
- Hudson, B.J. *Food antioxidants*; Springer Science & Business Media, 2012.; Anwar, F.; Latif, S.; Ashraf, M.; Gilani, A.H. *Moringa oleifera: A food plant with multiple medicinal uses.* *Phytother. Res.*, 2007, 21(1), 17-25. <http://dx.doi.org/10.1002/ptr.2023> PMID: 17089328; Hamed, H.S.; El-Sayed, Y.S. Antioxidant activities of *Moringa oleifera* leaf extract against pendimethalin-induced oxidative stress and genotoxicity in Nile tilapia, *Oreochromis niloticus* (L.). *Fish Physiol. Biochem.*, 2019, 45(1), 71-82. PMID: 29982916 [66] Paikra, B.K.; Dhongade, H.K.J.; Gidwani, B. *Phytochemistry and pharmacology of Moringa oleifera Lam.* *J. Pharmacopuncture*, 2017, 20(3), 194-200. <http://dx.doi.org/10.3831/KPI.2017.20.022> PMID:
- Ichihashi M., Ando H., Yoshida M., Niki Y., Matsui M., 2009, Photoaging of the skin, *Anti-Aging Med* 6:46-59.
- J. D’Orazio, S. Jarrett, A. Amaro-Ortiz, T. Scott, UV radiation and the skin, *Int. J. Mol. Sci.* 14 (2013) 12222–12248.
- Jadoon S, Karim S, Hassham M, Bin H, Akram MR, Khan AK, Murtaza G. Anti-aging potential of phytoextract loaded- pharmaceutical creams for human skin cell longevity. *Oxidative Medicine and Cellular Longevity.* 2015: 1–17.
- JanigE,HaslbeckM,AigelsreiterA,BraunN,UnterthorD,WolfP,KhaskhelyNM,BuchnerJ,DenkH,Zatloukal K. Clusterin associates with altered elastic fiber in human photoaged skin and prevents elastin from ultraviolet-induced aggregation in vitro. *American Journals Pathology.* 2007; 171(5):1474-82.
- Kaczor T., 2010. An overview of melatonin and breast cancer. *Natural medicine journal*, 2(2), pp1-5
- Karthivashan A. The modulatory effect of *Moringa oleifera* leaf extract on endogenous antioxidant systems and inflammatory markers in an acetaminophen- induced nephrotoxic mice model. *PeerJ.*2016; 4: e2127.

- Kasolo JN, Bimenya GS, Ojok L, Ochieng J, Ogwal-Okeng JW. Phytochemicals and uses of *Moringa oleifera* leaves in Ugandan rural communities. *J Med Plants Res.* 2010;4(9): 753–7. )( Mbikay M. Therapeutic potential of *Moringa oleifera* leaves in chronic hyperglycemia and dyslipidemia. *Front Pharmacol.* 2012;3(24):1-12 )
- Kasote DM, Katyare SS, Hegde MV and Bae H: Significance of antioxidant potential of plants and its relevance to therapeutic applications. *International Journal of Biology Sciences* 2015; 11(8): 982-991.
- Keszczyński K, Fischer TW. Melatonin and human skin aging. *Dermatoendocrinol* 2012;4(3):245-52.
- Kockler J., Oelgemoller M., Robertson S., Glass BD., 2012, Photostability of Sunscreens, *Journal of Photochemistry and Photobiology C*, 13(1), 91- 110.
- Kohl, E., Steinbauer, J., Landthaler, M., and Szeimies, R.M. 2011. Skin Ageing. *JEADV.* 25:873–84.
- Kulbacka J, Saczko J, Chwiłkowska A. Oxidative stress in cells damage processes. *Pol Merkur Lek.* 2009;27(157):44–47.
- Kumar J., Babel P.K., Singh D., Kumar A., 2015, UV-B Radiation Stress Causes Alterations in Whole Cell Protein Profile and Expression of Certain Genes in the Rice Phyllospheric Bacterium *Enterobacter cloacae*, *Frontiers in Microbiology*7(1440).
- Lee TH, See JO, Baek SH, Kim SY. Inhibitory effects of resveratrol on melanin synthesis in ultraviolet B- induced pigmentation in guinea pig skin. *Biomol Ther (Seoul).* 2014; 22(1):35-40.
- Leveque X, Hochane M, Geraldo F, et al. Low-dose pesticide mixture induces accelerated mesenchymal stem cell aging in vitro. *Stem Cell.* 2019;37(8):1083–1094. <https://doi.org/10.1002/stem.3014>.
- Liao N, Shi Y, Zhang C, et al. Antioxidants inhibit cell senescence and preserve stemness of adipose tissue-derived stem cells by reducing ROS generation during long-term in vitro expansion. *Stem Cell Res Ther.* 2019;10(1):306. <https://doi.org/10.1186/s13287-019-1404-9>.
- Liochev SI. Which is the most significant cause of aging. 2015;4:793-810
- Magalhaes JP. What is aging [Internet]. 2013 [cited 2016 Apr 7]. Available from [http://www.senescence.info/aging\\_definition.html](http://www.senescence.info/aging_definition.html)

- Masurekari, T.; Kadam, V.; Jadhav, V. Roles of *Moringa oleifera* in medicine—A review. *World of Pharmacy Pharmaceutical Sciences*, 2015, 4(1), 375-385
- Murray RK, et al., 2003. *Harper's Illustrated Biochemistry* 26<sup>th</sup> ed. McGraw-Hills Companies, New York.
- Mutiara T, Harijono, Estiasih T & Sriwahyuni E. 2012. Nutrient Content of Kelor (*Moringa Oleifera* Lamk) Leaves Powder under Different Blanching Methods. *Food and Public Health*, 2(6): 296-300.
- Narayanan DL, Saladi RN, Fox JL. Ultraviolet radiation and skin cancer. *Int J Dermatol*. 2010; 49(9):978-86.
- Nweze, Onyekwere N and Nwafor FI: Phytochemical, proximate and mineral composition of leaf extracts of *Moringa oleifera* Lam. from Nsukka, South-Eastern Nigeria. *IOSR Journal of Pharmacy and Biological Sciences* 2014; 9(1): 99-103.
- Pandey S, Patel MK, Mishra A and Jha B: Physio- biochemical composition and untargeted metabolomics of cumin (*Cuminum cyminum* L.) make its promising functional food and help in mitigating salinity stress. *PloS One* 2015; 10(2): e0144469. doi: 10.1371/journal.pone.0144469. eCollection 2015.
- Pandi-Perumal SR, BaHammam AS, Brown GM, Spence DW, Bharti VK, Kaur C, et al. Melatonin antioxidative defense: therapeutic implications for aging and neuro- degenerative processes. *Neurotox Res*. 2012;23(3):267–300.
- Rabello-Fonseca RM, Azulay DR, Luiz RR, Mandarim- de-Lacerda CA, Cuzzi T, Manela-Azulay M, Oral isotretinoin in photoaging: clinical and histopathological evidence of efficacy of an off-label indication. *Journal compilation European of Academy of Dermatology and Venereology*. 2009; 23(2):115-23.
- Razis, Ibrahim, and Kntayya ,2014
- Rigel DS, Weiss RA, Lim HW, Dover JS. *Photoaging*. New York: Marcel Dekker Inc.; 2004.
- Salmon AB, Richardson A, Perez V. Update on the oxidative stress theory of aging: Does oxidative stress play a role in aging or healthy aging. *Free Radic Biol Med*. 2010;48(5):642
- Sankhalkar S and Vernekar V: Quantitative and qualitative analysis of phenolic and flavonoid content in *Moringa oleifera* Lam. and *Ocimum tenuiflorum* L. *Pharmacognosy Research* 2016; 8(1): 16-21.

- Sankhalkar, S., & Vernekar, V. (2016). Quantitative and qualitative analysis of phenolic and flavonoid content in moringa oleifera lam and ocimum tenuiflorum L. *Pharmacognosy Research*, 8(1), 16–21. <https://doi.org/10.4103/0974-8490.171095>
- Schöttker B, Brenner H, Jansen E, Gardiner J, Peasey A, Kubinova R, et al. Evidence for the free radical/oxidative stress theory of ageing from the CHANCES consortium: A meta-analysis of individual participant data. *BMC Medicine*. 2015;13:300
- Sgarbieri, V. C., Teresa, M. and Pacheco, B. (2017) ‘Healthy human aging : intrinsic and environmental factors’, *Brazilian Journal Of Food Technology*, 20, pp. 1–23.
- Sharmila G, Nikithaa VS, Ilaiyarasi S, Dhivyaa K, Rajasekar V, Kumar NM, Muthukumaran K & Muthukumarana C. 2016. Ultrasound assisted extraction of total phenolics from *Cassia auriculata* leaves and evaluation of its antioxidant activities. *Industrial Crops and Products* 84:13-21.
- Slominski A, Tobin DJ, Zmijewski MA, Wortsman J, Paus R. Melatonin in the skin: synthesis, metabolism and functions. *Trends Endocrinol Metab*. 2008;19(1):17–24
- Song N, Kim AJ, Kim HJ, et al. Melatonin suppresses doxorubicin-induced premature senescence of A549 lung cancer cells by ameliorating mitochondrial dysfunction. *J Pineal Res*. 2012;53(4):335–343. <https://doi.org/10.1111/j.1600-079X.2012.01003.x>.
- Sreelatha, S.; Padma, P.R. Antioxidant activity and total phenolic content of *Moringa oleifera* leaves in two stages of maturity. *Plant Foods Hum. Nutr.*, 2009, 64(4), 303-311. <http://dx.doi.org/10.1007/s11130-009-0141-0> PMID: 19904611
- Stadtlander, T.; Becker, K. Proximate Composition, Amino and Fatty Acid Profiles and Element Compositions of Four Different Moringa Species. *J. Agric. Sci.* 2017, 9, 46
- Surai PF. Selenium in nutrition and health. Nottingham: Nottingham University Press; 2006.
- Suryantari SA, Satyarsa AB, Indriani IG, Sudarsa P, Rusyati LM, Adiguna MS. Knowledge, attitudes, and behaviors toward skin cancer among marine fisheries students of Udayana University, Bali. *Ann Oncol*. 2018; 29(suppl\_9): mdy439-011.

- Tobin, D. J. (2017). Introduction to skin aging. *Journal of Tissue Viability*, 26(1), 37–46. <https://doi.org/10.1016/j.jtv.2016.03.002>
- Wahyuningsih K.A., 2011, Astaxanthin memberikan efek proteksi terhadap photoaging, *Damianus Journal of Medicine* 10(3): 149–160.
- Winarno FG. 2018. *Tanaman Kelor (Moringa oleifera) Nilai Gizi, Manfaat, dan Potensi Usaha*. Jakarta: Gramedia Pustaka Utama. 110 hal.
- Yarr M, Gilchrest BA. Aging of Skin. In: Wolff K, Goldsmith L A, Katz SI, Gilchrest BA, Paller AS, Jeffell DJ, editors. *Fitzpatrick's dermatology in general medicine*. 7th edition. New York: Mc-Graw-Hill, Inc; 2008;963-6.
- Yun SP, Han YS, Lee JH, et al. Melatonin rescues mesenchymal stem cells from senescence induced by the uremic toxin p-cresol via inhibiting mTOR-dependent autophagy. *Biomol Ther.* 2018;26(4):389–398. <https://doi.org/10.4062/biomolther.2017.071>.
- Zhang L. The Atmospheric Propagation Simulation Characteristic of the Solar Blind Ultraviolet Light. *Appl Mech Mater.* 2012; 229(7): 2623-8.
- Zhou L, Chen X, Liu T, et al. Melatonin reverses H<sub>2</sub>O<sub>2</sub>-induced premature senescence in mesenchymal stem cells via the SIRT1-dependent pathway. *J Pineal Res.* 2015; 59(2):190–205. <https://doi.org/10.1111/jpi.12250>.